

Abundance Annex

Ape Population Abundance Estimates

This annex presents ape abundance estimates at the site level. The term “site” refers to a protected area and/or its buffer zone, a logging concession or group of concessions, or any discrete area where a survey has taken place in the past two decades. This annex also lists a few sites that were last surveyed in the 1970s and 1980s.

Most of the estimates are drawn from peer-reviewed publications and gray literature; some have been reconfirmed by experts who have access to material that is not in the public domain (such as raw data and documents for third parties that may not be shared in their entirety without permission). Some of the tables specify the “survey year,” indicating when data were collected in the field; others use the “year of estimate,” identifying when a prediction was modelled. Since records of absolute ape numbers are rarely available, this annex uses abundance classes of population ranges, as defined in Table 1. For the small apes, available density estimates are provided.

Table 1 Abundance Class Definitions

Abundance class	Class definition
≤50	Up to 50 individuals
51–100	51–100 individuals
101–300	101–300 individuals
301–500	301–500 individuals
501–1,000	501–1,000 individuals
1,001–5,000	1,001–5,000 individuals
5,001–10,000	5,001–10,000 individuals
10,001–20,000	10,001–20,000 individuals
20,001–50,000	20,001–50,000 individuals
50,001–100,000	50,001–100,000 individuals
>100,000	More than 100,000 individuals
Present	Confirmed presence; population size unknown
Extirpated	Apes extirpated locally
Possibly extinct	Apes are possibly extinct nationwide
Extinct	Apes are regionally extinct

Note: If only a population range is available, the mean is used to determine the abundance class. Population size may also be extrapolated from density estimates and then allocated to an appropriate abundance class.

In the following tables, asterisks in the abundance columns indicate which ape populations are stable (*) or increasing (**). Most ape populations, however, are in decline or the population trend is unknown.

Site names in **bold** are recognized as priority sites for African ape conservation by the Primate Specialist Group of the International Union for Conservation of Nature (IUCN) Species Survival Commission (SSC). While this prioritization is based on the most comprehensive available data, the authors recognize that data may be incomplete for some areas. Priority sites for orangutans and gibbons have not yet been identified.

Abbreviations, acronyms and references are listed at the end of this annex.

Notes on Tables 5 and 9: Gorillas are often sympatric with chimpanzees, meaning that they occupy the same geographic range. Biologists who survey great apes usually count their nests as proxies for the apes themselves; in areas where gorilla and chimpanzee ranges overlap, it is not always possible to determine which species made each nest.¹ An additional column lists the number of species represented in each abundance estimate, showing a value of “1” for a single species (gorillas in Table 5, chimpanzees in Table 9) or “2” for both gorillas and chimpanzees, counted together as “apes”.

The list of sites in these tables is not exhaustive as abundance estimates are not available for all ape populations. To inform us of any errors or omissions, please contact the A.P.E.S. database manager (e-mail: apes@eva.mpg.de). Updates will be made available in digital form via the A.P.E.S. Portal (<http://apesportal.eva.mpg.de>) and in subsequent volumes of *State of the Apes*.

<a>Great Ape Abundance Estimates

Table 2 Mountain Gorilla (*Gorilla beringei beringei*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Democratic Republic of Congo (DRC)	Virunga National Park (NP)	**501–1,000	2015–16	Granjon <i>et al.</i> (2020)
Rwanda	Volcanoes NP			
Uganda	Mgahinga Gorilla NP	301–500	2018	Hickey <i>et al.</i> (2019)
	Bwindi Impenetrable NP			

Notes: The Virunga Massif covers the three national parks grouped together in the table. As the gorillas move freely across international boundaries, the total number of mountain gorillas cannot be broken down by park or country.

Table 3 Grauer's Gorilla (*Gorilla beringei graueri*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
DRC	Balala	Extinct	2013	Plumptre <i>et al.</i> (2016)
	Forêt pour le Développement Intégral (FODI)	≤50	2011–15	Plumptre <i>et al.</i> (2016)
	Itombwe	51–100	2013–14	Plumptre <i>et al.</i> (2016)
	Kahuzi-Biega Itebero	501–1,000	2017	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Kasese	101–300	2015	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Nzovu	101–300	2013–15	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Tshivanga	301–500	2015	Kirkby <i>et al.</i> (2019)
	Kisimba-Ikobo	501–1,000	2013	Plumptre <i>et al.</i> (2016)
	Maiko (including Lubutu and Angumu)	101–300	2011–17	Fauna & Flora International and Institut Congolais pour

¹ A statistical tool developed in 2007 can be applied to the data collected, to distinguish between nests built by sympatric gorillas and chimpanzees, if the appropriate covariables are collected for each nest (Sanz *et al.*, 2007).

			Ia Conservation de la Nature, unpublished data (2016–17)
Oku Community Reserve East	1,001–5,000	2016–17	Kirkby <i>et al.</i> (2019)
Oku Community Reserve North	501–1,000	2016–17	Kirkby <i>et al.</i> (2019)
Réserve de Gorilles de Mukingiti et Kingombe (REGOMUKI)	101–300	2013	Plumptre <i>et al.</i> (2016)
Tayna Gorilla Reserve	101–300	2013	Plumptre <i>et al.</i> (2016)
Usala	501–1,000	2010–13	Plumptre <i>et al.</i> (2016)
Virunga NP (Mt. Tshaberimu)	≤50	2015	Sikubwabo (2015)
Walikale	501–1,000	2010	Nixon <i>et al.</i> (2012)
Nationwide	1,001–5,000	2011–15	Plumptre <i>et al.</i> (2016)

Table 4 Cross River Gorilla (*Gorilla gorilla diehli*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Cameroon	Ebo proposed NP	≤50	2019	B. Morgan, personal communication (2019)
	Kagwene Gorilla Sanctuary	≤50	2006–08	De Vere <i>et al.</i> (2011)
	Mbulu Forest	≤50	2008	Warren and Bila (2008)
	Mone River Forest Reserve (FR) east	≤50	2008	Warren <i>et al.</i> (2008)
	Takamanda NP	≤50	2013	Kuchambi and Ikfuingei (2014)
	Tofala Hills	≤50	2012	Dunn <i>et al.</i> (2014)
Nigeria	Afi Mountain Wildlife Sanctuary	≤50	2012	Dunn <i>et al.</i> (2014)
	Cross River NP Boshi Extension	≤50	2009	Imong, Mengno and Okeke (2009)
	Cross River NP Okwangwo Division	≤50	2012	Dunn <i>et al.</i> (2014)
	Mbe Mountains	≤50	2012	Dunn <i>et al.</i> (2014)

Table 5 Western Lowland Gorilla (*Gorilla gorilla gorilla*) Abundance Estimates

Country	Site name	Abundance class	No. spp.	Survey year(s)	Source
Angola	Maiombe (Cabinda)	1,001–5,000	1	n/a	Strindberg <i>et al.</i> (2018)
Cameroon	Boumba-Bek NP	1,001–5,000	1	2015	Nzooh <i>et al.</i> (2016b)
	Boumba-Bek NP (northern forest management units (FMUs): 10-020 to 10-023, 10-029 and 10-030)	1,001–5,000	1	2015	Nzooh <i>et al.</i> (2016b)
	Campo Ma'an (Dipikar Island)	301–500	1	2014	Nzooh <i>et al.</i> (2015)
	Campo Ma'an NP (North)	301–500	1	2014	Nzooh <i>et al.</i> (2015)

	Campo Ma'an – Operational Technical Unit (total for all strata of the landscape)	501–1,000	1	2014	Nzoooh <i>et al.</i> (2015)
	Deng Deng FMU 10-065	*301–500	1	2012	Maisels <i>et al.</i> (2013)
	Deng Deng NP	301–500	2	2016	Benavides <i>et al.</i> (2016)
	Dja Biosphere (or Faunal) Reserve	1,001–5,000	1	2018	Bruce <i>et al.</i> (2018)
	FMU 09-021	51–100	1	2014	Nzoooh <i>et al.</i> (2015)
	FMU 09-024	≤50	1	2014	Nzoooh <i>et al.</i> (2015)
	FMU 09-025	51–100	1	2014	Nzoooh <i>et al.</i> (2015)
	FMU 10-007, ZIC 28	1,001–5,000	2	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMUs 10-009 and 10-010, ZIC 29	1,001–5,000	2	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMU 10-011, ZICGC 1	1,001–5,000	2	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMU 10-012, ZIC 30	1,001–5,000	2	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMU 10-013, ZICGC 2	1,001–5,000	2	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMU 10-015	1,001–5,000	1	2015	Nzoooh <i>et al.</i> (2016b)
	FMUs 10-027 and 10-028	501–1,000	1	2015	Nzoooh <i>et al.</i> (2016b)
	FMUs 10-032 and 10-067	1,001–5,000	1	2015	Nzoooh <i>et al.</i> (2016b)
	FMU 10-038	1,001–5,000	1	2001	Etoga (2001)
	FMU 10-039	Present	1	2001	Etoga (2002)
	FMU 10-047a	301–500	1	2007	Bombome (2007)
	FMU 10-063, ZICGC 3	1,001–5,000	1	2014–15	Nzoooh <i>et al.</i> (2016a)
	FMU 10-064, ZIC 31	1,001–5,000	1	2014–15	Nzoooh <i>et al.</i> (2016a)
	Lobéké NP	1,001–5,000	1	2014–15	Nzoooh <i>et al.</i> (2016a)
	Mengamé Gorilla Sanctuary	1,001–5,000	1	2006	Ekobo (2006)
	Nanga-Eboko forest	Present	1	2002	Fotso, Eno Nku and Groves (2002)
	Ngoyla Mintom Complex	5,001–10,000	1	2015	Nzoooh <i>et al.</i> (2016b)
	Nki NP	1,001–5,000	1	2015	Nzoooh <i>et al.</i> (2016b)
	Sanaga-Yong	Present	1	2002	Fotso, Eno Nku and Groves (2002)
	ZICGC 9	Present	1	2007	Mahop (2007)
Central African Republic (CAR)	Dzanga NP	101–300	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Dzanga-Sangha Special Reserve	1,001–5,000	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Dzanga-Sangha landscape (total for all strata of the landscape)	1,001–5,000	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Ndoki NP	501–1,000	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	SINFOCAM concessions	501–1,000	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Société de transformation de bois en Centrafrique (STBC) concession	501–1,000	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Bailly Swamps	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)

Congo, Republic of	Batanga	5,001–10,000	1	2017	Brncic <i>et al.</i> (2018)
	Batéké Forest	501–1,000	2	2017	Inkamba Nkulu <i>et al.</i> (2018)
	Conkouati-Douli NP	1,001–5,000	2	2013	Vanleeuw (2014)
	Dimonika Biosphere Reserve	101–300	1	2009	Pintea <i>et al.</i> (2012)
	Djoua-Ivindo Forest	5,001–10,000	1	2014–15	Allam <i>et al.</i> (2016)
	Impfondo	Present	1	2008	Iyenguet <i>et al.</i> (2008)
	Kabo FMU	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Lac Télé Community Reserve	5,001–10,000	1	2017	Brncic <i>et al.</i> (2018)
	Lossi Gorilla Sanctuary	Present	1	2006	Bassouama <i>et al.</i> (2006)
	Loundougou FMU	5,001–10,000	1	2016	Brncic <i>et al.</i> (2018)
	Loundougou swamp	1,001–5000	1	2016	Brncic <i>et al.</i> (2018)
	Messok-Dja	1,001–5,000	1	2015–16	Allam <i>et al.</i> (2017)
	Mokabi FMU South	501–1,000	1	2017	Brncic <i>et al.</i> (2018)
	Ngombe FMU	*50,001–100,000	1	2014	Maisels <i>et al.</i> (2015)
	Nouabalé-Ndoki NP	*1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Ntokou-Pikounda NP	5,001–10,000	1	2014	Maisels <i>et al.</i> (2015)
	Odzala-Koukoua NP	10,001–20,000	1	2016	Bohm (2018)
	Pokola FMU	5,001–10,000	1	2016	Brncic <i>et al.</i> (2018)
	Tanga	1,001–5,000	2	2009	Malanda, Iyenguet and Madzoke (2010)
DRC	Maiombe	Extirpated	1	n/a	Maisels <i>et al.</i> (2018)
Equatorial Guinea	Nationwide	1,001–5,000	1	2011	Murai <i>et al.</i> (2013)
Gabon	Bambidie	101–300	1	2012	Haurez <i>et al.</i> (2014)
	Batéké Plateau NP	Present	2	2005–06	Bout (2006)
	Birougou NP	501–1,000	2	2006–07	Aba'a and Bezangoye (2007)
	Djouah-Zadie	1,001–5,000	2	2016	Le-Duc Yeno and N'Goran (2016)
	Evaro	Present	2	2005	Latour (2005)
	Ivindo concessions	501–1,000	2	2010	Motsaba and Maisels (2010)
	Ivindo NP	1,001–5,000	2	2009	Motsaba <i>et al.</i> (2009)
	Loango NP	301–500	2	2007	Maisels (2009)
	Lopé NP	1,001–5,000	2	2008–09	Bezangoye and Maisels (2010)
	Lopé-Waka corridor	1,001–5,000	2	2007	Maisels, Abitsi and Bezangoye (2008)
	Mayombe	1,001–5,000	2	2011	Aba'a <i>et al.</i> (2011)
	Mayumba NP	*Present	2	2006–10	Makaya (2010)
	Minkébé NP	**Present	2	2012–13	ANPN (2013)
	Monts de Cristal NP	Present	2	2005	Aba'a (2006)
	Moukalaba Doudou NP	Present	2	2010	Nakashima <i>et al.</i> (2013)
	Mwagna NP	**Present	2	2012	Maisels and Ella Akou (2013)
	Waka NP	Present	2	2005–06	Abitsi (2006)

Wonga Wongué	Present	2	2011	Motsaba and Aba'a (2011)
--------------	---------	---	------	--------------------------

Notes: One asterisk (*) indicates that an ape population is stable; two asterisks (**) show that an ape population is growing. The “number of species” (No. spp.) column specifies whether the abundance estimate refers to gorillas only (1) or to gorillas and chimpanzees together (2).

The abbreviations ZIC and ZICGC are used for hunting zones and community-managed hunting zones, respectively, based on the French terms “zone d’intérêt cynégétique” and “zone d’intérêt cynégétique à gestion communautaire.”

Table 6 Bonobo (*Pan paniscus*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
DRC	Lac Tumba Bolobo	51–100	NA	IUCN and ICCN (2012)
	Lac Tumba Bolombo-Losombo	Present	2005	Inogwabini <i>et al.</i> (2007)
	Lac Tumba Botuali-IIlombe	101–300	2005	Inogwabini <i>et al.</i> (2007)
	Lac Tumba Botwali	51–100	2004	IUCN and ICCN (2012)
	Lac Tumba Lediima Reserve	Present	2014	Beudels-Jamar <i>et al.</i> (2015)
	Lac Tumba (Lokoso, Mankere, Mpelu and Nkala/Nkoo)	≤50	2011–13	Serckx (2014)
	Lac Tumba Malebo	1,001–5,000	2005	Inogwabini <i>et al.</i> (2007)
	Lac Tumba Mbala-Donkese	≤50	2005	Inogwabini <i>et al.</i> (2007)
	Lac Tumba Mbie Mokele	51–100	2006	IUCN and ICCN (2012)
	Lac Tumba Monieke-Bokote	Present	2006	IUCN and ICCN (2012)
	Lac Tumba Mpoka	Present	2009	IUCN and ICCN (2012)
	Lac Tumba Ngombe-Botuali	101–300	2005	Inogwabini <i>et al.</i> (2007)
	Lac Tumba Nkosso	Present	2006	IUCN and ICCN (2012)
	Lubefu	Present	2010	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Bilya-lyondje	Present	2009	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Boseka-Bokungu	51–100	2008	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Cadjobe	301–500	2009	Reinartz and Guislain (2010)
	Maringa-Lopori-Wamba landscape Iyondji Reserve	301–500	2012	Lushimba, Kasalevo and Fowler (2012)
	Maringa-Lopori-Wamba landscape K7	Present	2010	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Kokolopori	301–500	2004–05	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Lingomo	51–100	2008	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Lomako-Yokakola Faunal Reserve	1,001–5,000	2015	Levo <i>et al.</i> (2015)
	Maringa-Lopori-Wamba landscape Lonua	Present	2006	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Luo	51–100	2003–05	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Mompono-Bekumolokole	51–100	2008	IUCN and ICCN (2012)
	Maringa-Lopori-Wamba landscape Mompono-Yaama	51–100	2008	IUCN and ICCN (2012)

	Maringa-Lopori-Wamba landscape Samba	51–100	2007	IUCN and ICCN (2012)
	Salonga landscape corridor	1,001–5,000	2017	Ikati <i>et al.</i> (2019)
	Salonga landscape Ikela-Bokungu	Present	2008	IUCN and ICCN (2012)
	Salonga landscape Lokoro-Lukenie	Present	2006–07	IUCN and ICCN (2012)
	Salonga landscape Lotoi-Lokoro	Present	2006–07	IUCN and ICCN (2012)
	Salonga landscape LuiKotale-Bompusa	≤50	2012	IUCN and ICCN (2012)
	Salonga landscape Lukenie-Sankuru	Present	2006–07	IUCN and ICCN (2012)
	Salonga landscape Lukuru	51–100	1994–95	IUCN and ICCN (2012)
	Salonga landscape Yetsi-Ikela	51–100	2008	IUCN and ICCN (2012)
	Salonga NP Beminyo	101–300	2000–02	Reinartz <i>et al.</i> (2006)
	Salonga NP Bonima	Present	2000–02	Reinartz <i>et al.</i> (2006)
	Salonga NP southeast	Present	2007–08	Maisels <i>et al.</i> (2010)
	Salonga NP Lokofa	1,001–5,000	2015	WCS (2015)
	Salonga NP Lomela	1,001–5,000	2016	Ikati <i>et al.</i> (2017)
	Salonga NP south	5,001–10,000	2003–06	Grossmann <i>et al.</i> (2008)
	Salonga NP Watsi-Kengo and Mondjoko sectors combined	5,001–10,000	2016–17	Reinartz <i>et al.</i> (2017)
	Sankuru Nature Reserve (NR)	Present	2009	Liengola <i>et al.</i> (2009)
	Tshuapa-Lomami-Lualaba	5,001–10,000	2008–10	IUCN and ICCN (2012)

Table 7 Nigeria–Cameroon Chimpanzee (*Pan troglodytes ellioti*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Cameroon	Ako-Mbembe FR	Present	2005	Morgan <i>et al.</i> (2011)
	Assaka Forest	Present	2006	Ekinde and Ashu (2006)
	Bafut-Ngembia FR	Extirpated	2011	Elliotti.org (n.d.)
	Bakossi NP	Present	2009	Fonkwo, Angwafo and Mbida (2011)
	Banyang-Mbo Wildlife Sanctuary	501–1,000	2006–07	Greengrass and Maisels (2007)
	Ebo proposed NP	501–1,000	2011	Morgan <i>et al.</i> (2011)
	Ejagham FR	Present	2003	Eno Nku (2003a)
	Etinde Wildlife Reserve	51–100	2003	Eno Nku (2004b)
	FMU 00-004	51–100	2007	Elliotti.org (n.d.)
	FMU 11-002	Extirpated	2003	Eno Nku (2003b)
	Fungom FR	Present	2004	Ekinde, Ashu and Sunderland-Groves (2005)
	Kom-Wum FR	≤50	2014	O. Ndoumbe, unpublished data (2017)
	Korup NP	51–100	2015	M. Waltert, A. Binczik and K.S. Bobo, unpublished data (2015)
	Lake Barombi Mbo FR	Present	2004	Morgan <i>et al.</i> (2011)
	Mak-Betefou-Nkingkuoe	51–100	2011	Elliotti.org (n.d.)
	Makombe Forest	Present	n/a	WWF (2003)
	Manb'ra	Present	1997	Elliotti.org (n.d.)
	Mbam et Djerem NP	501–1,000	2016–17	Kamgang <i>et al.</i> (2020)
	Mbulu Forest	Present	2008	Warren and Bila (2008)
	Mone River FR	101–300	2007	Warren and Ekinde (2008)

Nigeria	Mpem & Njim NP	Present	2005	Elliotti.org (n.d.)
	Mt. Cameroon NP	301–500	2013	Eno Nku (2013)
	Mt. Kupe	Present	2009	Fonkwo, Angwafo and Mbida (2011)
	Mt. Nlonako Wildlife Reserve	51–100	2005	Elliotti.org (n.d.)
	Nkwende Hills	Extirpated	2002	Bobo, Ntumwel and Aghomo (2013)
	Nta Ali FR	Present	2005	Morgan <i>et al.</i> (2011)
	Rumpi Hills	Present	2005	Morgan <i>et al.</i> (2011)
	South Bakundu FR	Extirpated	2004	Eno Nku (2004a)
	Takamanda NP	Present	2013	Kuchambi and Ikfuingei (2014)
	Tubah-Awing Forest	≤50	2011	Elliotti.org (n.d.)
	Vome Forest	Present	2008	Elliotti.org (n.d.)
	Afi Mountain Wildlife Sanctuary	Present	2009	Imong, Wood and Okeke (2009)
	Afi River FR	Present	2009	Imong, Wood and Okeke (2009)
	Ago-Owu FR	Present	2005	Ogunjemite <i>et al.</i> (2006)
	Akure-Ofosu FR	Present	2012–13	Ikemeh (2013)
	Ala FR	Extirpated	2006	Greengrass (2006)
	Cross River NP Oban Division	101–300	n/a	A. Dunn and I. Imong, personal communication (2015)
	Cross River NP Okwangwo Division	101–300	n/a	A. Dunn and I. Imong, personal communication (2015)
	Eba FR	Present	2004–05	Ogunjemite <i>et al.</i> (2006)
	Eti-Oni FR	Present	2004–05	Ogunjemite <i>et al.</i> (2006)
	Gashaka-Gumti NP	501–1,000	2005	Adanu, Sommer and Fowler (2011)
	Idanre FR	51–100	2012–13	Ikemeh (2013)
	Ifon FR	Present	2006	Greengrass (2006)
	Ila FR	Present	2011	Ogunjemite (2011)
	Ise FR	≤50	2012	Ikemeh (2013)
	Mbe Mountains	Present	2009	Imong and Okeke (2009)
	Oba Hills FR	Extirpated	2006	Greengrass (2006)
	Ogbesse FR	Extirpated	2006	Greengrass (2006)
	Ogotun FR	Present	2006	Greengrass (2006)
	Okeluse FR	Present	2004	Ogunjemite <i>et al.</i> (2006)
	Okomu NP	Present	2006	Greengrass (2006)
	Ologbo FR	Present	2006	Greengrass (2006)
	Oluwa FR	Present	2011 and 2012	Olaniyi, Ogunjemite and Dansu (2014)
	Omo FR	Present	2006	Greengrass (2006)
	Onisere FR	Present	2004–05	Ogunjemite <i>et al.</i> (2006)
	Owo FR	Present	2004–05	Ogunjemite <i>et al.</i> (2006)
	Shasha FR	Present	2006	Greengrass (2006)

Table 8 Eastern Chimpanzee (*Pan troglodytes schweinfurthii*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Burundi	Bururi FR	≤50	2006–07	Barakabuye <i>et al.</i> (2007)
	Kibira NP	101–300	2011–13	Hakizimana and Huynen (2013)

	Vyanda FR	≤50	1989	Anonymous (1989), cited in Barakabuye <i>et al.</i> (2007)
CAR	Bangassou	Extirpated	2004	Williamson <i>et al.</i> (2004)
	Chinko NR	501–1,000	2015	Aebischer <i>et al.</i> (2017)
	Zemongo Faunal Reserve	501–1,000	2010	Plumptre <i>et al.</i> (2010)
DRC	Balala	Extinct	2011–15	Plumptre <i>et al.</i> (2015)
	Bili-Uélé	20,001–50,000	2010	Plumptre <i>et al.</i> (2010)
	FODI	301–500	2011	Kirkby <i>et al.</i> (2019)
	Greater Virunga Semuliki	1,001–5,000	2008	Plumptre, Kujirakwinja and Matunguru (2008)
	Itombwe	1,001–5,000	2013–14	Plumptre <i>et al.</i> (2015)
	Ituri landscape Mai-Tatu (partial)	1,001–5,000	2015	Maisels <i>et al.</i> (2019)
	Ituri Okapi Faunal Reserve	5,001–10,000	2018	Madidi <i>et al.</i> (2019)
	Kahuzi-Biega Itebero	501–1,000	2017	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Kasese	51–100	2015	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Nzovu	501–1,000	2013–15	Kirkby <i>et al.</i> (2019)
	Kahuzi-Biega Tshivanga	101–300	2015	Kirkby <i>et al.</i> (2019)
	Lubutu	51–100	2011–15	Plumptre <i>et al.</i> (2015)
	Maganja Hills	101–300	2010	Plumptre <i>et al.</i> (2010)
	Maiko NP	51–100	2011–15	Plumptre <i>et al.</i> (2015)
	Misotshi-Kabogo	1,001–5,000	2007	Plumptre <i>et al.</i> (2008)
	Mt. Hoyo	101–300	2011–15	Plumptre <i>et al.</i> (2015)
	Oku Community Reserve East	301–500	2016–17	Kirkby <i>et al.</i> (2019)
	Oku Community Reserve North	501–1,000	2016–17	Kirkby <i>et al.</i> (2019)
Rwanda	Réserve de Gorilles de Mukingiti et Kingombe (REGOMUKI)	101–300	2011–15	Plumptre <i>et al.</i> (2015)
	Rubi-Télé	501–1,000	2010	Plumptre <i>et al.</i> (2010)
	Tayna Gorilla Reserve	51–100	2011–15	Plumptre <i>et al.</i> (2015)
	Tayna-Kisimba-Ikobo	51–100	2011–15	Plumptre <i>et al.</i> (2015)
	Usala	51–100	2011–15	Plumptre <i>et al.</i> (2015)
	Virunga NP Rwenzori	501–1,000	2010	Plumptre <i>et al.</i> (2010)
South Sudan	Watalinga	501–1,000	2010	Plumptre <i>et al.</i> (2010)
	Gishwati FR	≤50	2008–10	Chancellor <i>et al.</i> (2012)
Tanzania	Nyungwe NP	301–500	2014	Wildlife Conservation Society Rwanda, unpublished data (2014)
	Greater Gombe Ecosystem	101–300	2011–12	Piel <i>et al.</i> (2013)
	Greater Mahale Ecosystem, including Masito-Ugalla	1,001–5,000	2011–12	Piel <i>et al.</i> (2013)
	Loasi FR	51–100	2008	Davenport <i>et al.</i> (2010)
Uganda	Masito-Ugalla Ecosystem	101–300	2014	Piel <i>et al.</i> (2015)
	Budongo NP	501–1,000	2010 (model)	Plumptre <i>et al.</i> (2010)
	Bugoma-Budongo Corridor	101–300	2011–14	McCarthy <i>et al.</i> (2015)

Bugoma FR	501–1,000	2010 (model)	Plumptre <i>et al.</i> (2010)
Bulindi	≤50	2007–08	McLennan (2013)
Bwindi Impenetrable NP	101–300	1999–2002	Plumptre, Cox and Mugume (2003)
Echuya FR	Extirpated	1999–2002	Plumptre, Cox and Mugume (2003)
Ibambaro FR	Extirpated	1999–2002	Plumptre, Cox and Mugume (2003)
Kagombe FR	51–100	1999–2002	Plumptre, Cox and Mugume (2003)
Kagorra region	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Kasato FR	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Kibale-Itwara	1,001–5,000	2010 (model)	Plumptre <i>et al.</i> (2010)
Kibego FR	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Kitechura FR	Extirpated	1999–2002	Plumptre, Cox and Mugume (2003)
Kyambura Wildlife Reserve	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Maramagambo-Kalinzu-Kashyoha-Kitomi landscape	1,001–5,000	2010 (model)	Plumptre <i>et al.</i> (2010)
Matiri FR	Extirpated	1999–2002	Plumptre, Cox and Mugume (2003)
Muhangi FR	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Otzi FR	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Rwenzori Mountains NP	301–500	1999–2002	Plumptre, Cox and Mugume (2003)
South Bugoma	≤50	1999–2002	Plumptre, Cox and Mugume (2003)
Toro-Semliki Wildlife Reserve	101–300	2010–11	Samson and Hunt (2012)
Wambabya FR	101–300	1999–2002	Plumptre, Cox and Mugume (2003)

Notes: In the column, “survey years”, ‘model’ means that these estimates are based on model predictions rather than field surveys.

Table 9 Central Chimpanzee (*Pan troglodytes troglodytes*) Abundance Estimates

Country	Site name	Abundance class	No. spp.	Survey year(s)	Source
Angola	Maiombe (Cabinda)	1,001–5,000	1	n/a	Strindberg <i>et al.</i> (2018)
Cameroon	Boumba-Bek NP	501–1,000	1	2015	Nzooh <i>et al.</i> (2016b)
	Boumba-Bek NP (northern FMUs: 10-020 to 10-023, 10-029 and 10-030)	301–500	1	2015	Nzooh <i>et al.</i> (2016b)
	Campo Ma'an (Dipikar Island)	301–500	1	2014	Nzooh <i>et al.</i> (2015)

	Campo Ma'an NP (North)	301–500	1	2014	Nzooh <i>et al.</i> (2015)
	Campo Ma'an – Operational Technical Unit (total for all strata of the landscape)	1,001–5,000	1	2014	Nzooh <i>et al.</i> (2015)
	Deng Deng FMU 10-065	Present	1	2012	Maisels <i>et al.</i> (2013)
	Deng Deng NP	301–500	2	2016	Benavides <i>et al.</i> (2016)
	Dja Biosphere (or Faunal) Reserve	1,001–5,000	1	2018	Bruce <i>et al.</i> (2018)
	FMU 00-004	Present	1	2007	Ekobo (2007)
	FMU 09-021	51–100	1	2014	Nzooh <i>et al.</i> (2015)
	FMU 09-024	101–300	1	2014	Nzooh <i>et al.</i> (2015)
	FMU 09-025	51–100	1	2014	Nzooh <i>et al.</i> (2015)
	FMU 10-013	Present	1	2003	Blake, Strindberg and Princée (2012)
	FMU 10-015	301–500	1	2015	Nzooh <i>et al.</i> (2016b)
	FMU 10-027 and 10-028	301–500	1	2015	Nzooh <i>et al.</i> (2016b)
	FMU 10-032 and 10-067	501–1,000	1	2015	Nzooh <i>et al.</i> (2016b)
	FMU 10-038	Present	1	2001	Etoga (2001)
	FMU 10-047a	301–500	1	2007	Bombome (2007)
	FMU 10-064	Present	1	2004	Blake, Strindberg and Princée (2012)
	FMUs 10-08, 10-09, 10-010 and 10-012	Present	1	2005	Blake, Strindberg and Princée (2012)
	Lobéké NP	501–1,000	1	2015	Nzooh <i>et al.</i> (2016a)
	Mengamé Gorilla Sanctuary	Present	1	2006	Ekobo (2006)
	Nanga-Eboko	Present	1	2002	Fotso, Eno Nku and Groves (2002)
	Ngoyla Mintom complex	1,001–5,000	1	2015	Nzooh <i>et al.</i> (2016b)
	Nki NP	301–500	1	2015	Nzooh <i>et al.</i> (2016b)
	Sanaga-Yong	Present	1	2002	Fotso, Eno Nku and Groves (2002)
	ZICGC 9	Present	1	2007	Mahop (2007)
CAR	Dzanga NP	≤50	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Dzanga-Sangha landscape (total for all strata of the landscape)	301–500	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Dzanga-Sangha Special Reserve	101–300	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	Ndoki NP	101–300	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	SINFOCAM concessions	101–300	1	2015–16	N'Goran, Ndomba and Beukou (2016)
	STBC concession	51–100	1	2015–16	N'Goran, Ndomba and Beukou (2016)
Congo, Republic of	Bailly Swamps	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Batanga	301–500	1	2017	Iyenguet <i>et al.</i> (2012)
	Batéké Forest	301–500	2	2017	Inkamba Nkulu <i>et al.</i> (2018)
	Conkouati-Douli NP	5,001–10,000	2	2013	Vanleeuwe (2014)
	Dimonika Biosphere Reserve	Present	1	2009	Pintea <i>et al.</i> (2012)

	Djoua-Ivindo Forest	5,001–1,0000	1	2014–15	Allam <i>et al.</i> (2016)
	Impfondo	501–1,000	1	2008	Iyenguet <i>et al.</i> (2008)
	Kabo FMU	501–1,000	1	2016	Brncic <i>et al.</i> (2018)
	Lac Télé Community Reserve	501–1,000	1	2017	Brncic <i>et al.</i> (2018)
	Lossi Gorilla Sanctuary	Present	1	2004–05	Bermejo <i>et al.</i> (2006)
	Loundougou FMU	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Loundougou swamp	501–1,000	1	2016	Brncic <i>et al.</i> (2018)
	Messok-Dja	552	1	2015–16	Allam <i>et al.</i> (2017)
	Mokabi FMU South	301–500	1	2017	Brncic <i>et al.</i> (2018)
	Ngombe FMU	5,001–10,000	1	2014	Maisels <i>et al.</i> (2015)
	Nouabalé-Ndoki NP	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Ntokou-Pikounda NP	1,001–5,000	1	2014	Maisels <i>et al.</i> (2015)
	Odzala-Koukoua NP	1,001–5,000	1	2016	Bohm (2018)
	Pokola FMU	1,001–5,000	1	2016	Brncic <i>et al.</i> (2018)
	Tanga	≤50	1	2009	Malanda, Iyenguet and Madzoke (2010)
DRC	Lac Tumba	Present	1	2007–10	Inogwabini <i>et al.</i> (2012)
	Maiombe	Present	1	n/a	Maisels <i>et al.</i> (2016)
Equatorial Guinea	Nationwide	5,001–10,000	1	2012	Murai <i>et al.</i> (2013)
Gabon	Bambidie	Present	1	2012	Haurez <i>et al.</i> (2014)
	Batéké Plateau NP	Present	2	2005–06	Bout (2006)
	Birougou NP	501–1,000	2	2006–07	Aba'a and Bezangoye (2007)
	Evaro	Present	2	2005	Latour (2005)
	Djouah-Zadie	1,001–5,000	2	2016	Le-Duc Yeno and N'Goran (2016)
	Ivindo concessions	501–1,000	2	2010	Motsaba and Maisels (2010)
	Ivindo NP	1,001–5,000	2	2009	Motsaba <i>et al.</i> (2009)
	Loango NP	301–500	2	2006	Maisels (2009)
	Lopé NP	1,001–5,000	2	2008–09	Bezangoye and Maisels (2010)
	Lopé-Waka corridor	1,001–5,000	2	2007	Maisels, Abitsi and Bezangoye (2008)
	Mayombe	1,001–5,000	2	2011	Aba'a <i>et al.</i> (2011)
	Mayumba NP	*Present	2	2006–10	Makaya (2010)
	Minkébé NP	**Present	2	2012–13	ANPN (2013)
	Monts de Cristal NP	Present	2	2005	Aba'a (2006)
	Moukalaba Doudou NP	Present	2	2010	Nakashima <i>et al.</i> (2013)
	Mwagna NP	**Present	2	2012	Maisels and Ella Akou (2013)
	Pongara NP	Present	1	2006	Latour (2006)
	Waka NP	Present	2	2005–06	Abitsi (2006)
	Wonga Wongué	Present	2	2011	Motsaba and Aba'a (2011)

Notes: One asterisk (*) indicates that an ape population is stable; two asterisks (**) show that an ape population is increasing. The “number of species” (No. spp.) column specifies whether the abundance estimate refers to chimpanzees only (1) or to chimpanzees and gorillas together (2).

The abbreviation ZICGC is used for community-managed hunting zones, based on the French term “zone d’intérêt cynégétique à gestion communautaire.”

Table 10 Western Chimpanzee (*Pan troglodytes verus*) Abundance Estimates²

Country	Site name	Abundance class	Survey year(s)	Source
Benin	Nationwide	Possibly extinct	2013–14	Campbell and Houngbedji (2015)
Burkina Faso	Nationwide	Possibly extinct	2012	Ginn <i>et al.</i> (2013)
Ghana	Atewa FR	Present	2006	Granier and Awotwe-Pratt (2007)
	Bia-Goaso	101–300	2009	Danquah <i>et al.</i> (2012)
	Boi-Tano FR	Present	2006	Oates (2006)
	Cape Three Points FR	Extirpated	2009	Gatti (2009)
	Draw River FR	Present	2003	Magnuson, Adu-Nsiah and Kpelle (2003)
	Subri River FR	Present	2011	Buzzard and Parker (2012)
Guinea	Bafing River area	1,001–5,000	2013–14	WCF (2014b)
	CBG-Halco concession	51–100	2015	WCF (2015)
	Diecke Classified Forest	51–100	2011	WCF (2012)
	Foutah Djallon	10,001–20,000	2011–12	WCF (2012)
	Gadha Woundou Classified Forest	≤50	2011	WCF (2012)
	Haut Niger NP Kouya core area	101–300	2011	WCF (2012)
	Haut Niger NP Mafou core area	101–300	2011	WCF (2012)
	Kankan Faunal Reserve	Present	2010–11	WCF (2012)
	Koumbia	101–300	2010	WCF (2012)
	Mt. Nimba Strict NR	101–300	2009	WCF (2012)
	Oure Kaba Classified Forest	51–100	2009	WCF (2012)
	Pic de Fon Classified Forest	51–100	2002	Herbinger and Tounkara (2002)
	Sangaredi Alumina Project	101–300	2014	WCF (2014a)
	Ziamá Strict NR	≤50	2010–11	WCF (2012)
Guinea-Bissau	Boe area (including Boe NP)	1,001–5,000	2016	Chimbo Foundation, personal communication (2017)
	Cantanhez NP	Present	2007	Sousa <i>et al.</i> (2014)
	Lagoas de Cufada NP	101–300	2010–11	Carvalho, Marques and Vicente (2013)
Ivory Coast	Azagny NP	≤50	2007	Herbinger (2007)
	Banco NP	≤50	2015	E. Normand, personal communication (2016)

² Previous abundance annexes have included the Gambia; however, primatologists are now convinced that the country was not part of the western chimpanzee's range (E.A. Williamson, personal communication, 2019).

	Bossematie Classified Forest	Present	2007	Campbell (2008)
	Cavally Classified Forest	51–100	2010	Normand, Singo and Boesch (2010)
	Comoé NP	Present	2009	WCF (2009)
	Dassiekro Classified Forest	Extirpated	2007	Campbell (2008)
	Duekoue Classified Forest	Extirpated	2007	Campbell (2008)
	Gobodienou Classified Forest	Extirpated	2007	Campbell (2008)
	Goin-Débé Classified Forest	≤50	2009	Normand, Singo and Boesch (2010)
	Haute Dodo	Present	2002	Sanderson <i>et al.</i> (2005)
	Mabi Classified Forest	Present	2007	Campbell (2008)
	Marahoué NP	≤50	2006	N'Goran (2007)
	Monogaga Classified Forest	Extirpated	2007	Campbell (2008)
	Mt. Kope	Present	2007	Campbell (2008)
	Mt. Peko NP	Extirpated	2015	E. Normand, personal communication (2016)
	Mt. Sangbe NP	Present	2014	Wild Chimpanzee Foundation, unpublished data (2015)
	Nimba Mountains	≤50	2009–11	Granier <i>et al.</i> (2014)
	Niouniourou Classified Forest	Extirpated	2007	Campbell (2008)
	Nizoro Classified Forest	Extirpated	2007	Campbell (2008)
	Okromodou Classified Forest	Extirpated	2007	Campbell (2008)
	Port Gauthier Classified Forest	Extirpated	2007	Campbell (2008)
	Tai NP	501–1,000	2016–17	Tiédoué <i>et al.</i> (2018)
	Tamin Classified Forest	Extirpated	2007	Campbell (2008)
Liberia	Gola Forest NP	51–100	2017	WCF (2018)
	Grebo-Krahn NP	101–300	2015	Furnell <i>et al.</i> (2015a)
	Sapo-Grebo corridor	501–1,000	2015	Furnell <i>et al.</i> (2015b)
	Sapo NP	1,001–5,000	2016	Tweh <i>et al.</i> (2018)
	Nationwide	5,001–10,000	2011–12	Tweh <i>et al.</i> (2015)
Mali	Bafing Biosphere Reserve	≤50	2014	PanAf, unpublished data (2015)
Senegal	Fongoli	≤50	2005–06	Pruetz and Bertolani (2007)
	Nathia	Present	2010–11	Gašperšič and Pruetz (2011)
	Niokolo Koba NP	≤50	2000	Pruetz <i>et al.</i> (2002)
	Nationwide	501–1,000	2015	E. Wessling and J. Pruetz, unpublished data (2016)

Sierra Leone	Gola Rainforest NP	101–300	2015–16	B. Barca, personal communication (2017)
	Kambui FR	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Kangari FR	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Kilimi NP	51–100	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Lake Sonfon proposed NP	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Loma FR	1,001–5,000	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Moyamba	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Nimini FR	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Outamba NP	501–1,000	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Tingi FR	51–100	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Tonkoli FR	Present	2009–10	Brncic, Amarasekaran and McKenna (2010)
	Western Area Peninsula FR	51–100	2009–10	Brncic, Amarasekaran and McKenna (2010)
Togo	Nationwide	Possibly extinct	2013–14	Campbell and Houngbedji (2015)

Table 11 Sumatran Orangutan (*Pongo abelii*) Abundance Estimates

Country	Site name	Site name in previous volumes of <i>State of the Apes</i>	Abundance class	Year of estimate	Source
Indonesia	East Leuser	East Leuser Ecosystem, East Middle Aceh Ecosystem	5,001–10,000	2015	Wich <i>et al.</i> (2016)
	Sikulaping	Sidiangkat	101–300		
	Siranggas, Batu Ardan	Sidiangkat	51–100		
	Tripa Swamp	Tripa Swamp	101–300		
	Trumon-Singkil	Trumon Singkil	1,001–5,000		
	West Leuser	West Leuser Ecosystem, West Middle Aceh Ecosystem	5,001–10,000		

Note: The current and previous site names do not necessarily refer to identical areas. In some cases the new site name may encompass multiple sites that were previously listed separately. As a result, orangutan numbers are not directly comparable over time at the site level. The population sizes were recalculated based on Wich *et al.* (2016).

Table 12 Tapanuli Orangutan (*Pongo tapanuliensis*) Abundance Estimates

Country	Site name	Site name in previous volumes of <i>State of the Apes</i>	Abundance class	Year of estimate	Source
Indonesia	Dolok Sibual-buali NR		≤50	2015	Wich <i>et al.</i> (2019)
	East Batang Toru	East Sarulla	101–300		
	West Batang Toru	West Batang Toru	501–1,000		

Note: The Tapanuli orangutan was first described in November 2017 (Nater *et al.*, 2017). The distribution and population estimates provided here are based on earlier surveys in the area where the Tapanuli orangutan occurs. At the time of the surveys, these populations were still identified as Sumatran orangutans; therefore, the cited source makes no reference to the Tapanuli orangutan.

The current and previous site names do not necessarily refer to identical areas. In some cases the new site name may encompass multiple sites that were previously listed separately. As a result, orangutan numbers are not directly comparable over time at the site level

Table 13 Northeast Bornean Orangutan (*Pongo pygmaeus morio*) Abundance Estimates

Country	Site name	Site name in previous volumes of <i>State of the Apes</i>	Abundance class	Year of estimate	Source
Indonesia	Belyan landscape	n/a	51–100	2016	Utami-Atmoko <i>et al.</i> (2019)
	Bontang landscape	Kutai NP	51–100		
	Kutai landscape	Kutai NP and Sangatta-Bengalon and Muara Wahau	1,001–5,000		
	Lesan landscape	Lesan watershed	51–100		
	Sangkulirang landscape	Sangkulirang-Mangkalihat karst area	301–500		
	Senyiur landscape	n/a	101–300		
	Wehea landscape	Kelai watershed	501–1,000		
Malaysia	Bonggaya landscape	Bonggaya FR	101–300	2016	Utami-Atmoko <i>et al.</i> (2019)
	Central Forest range landscape	Keningau, Kinabalu, Kuamut, Pinangah, Segama	5,001–10,000		
	Crocker range landscape	Crocker Range NP, Kinabalu	101–300		
	Lingkabau landscape	Lingkabau FR	101–300		
	Lower Kinabatangan range landscape	Kinabatangan, Kulamba Wildlife Reserve	1,001–5,000		
	North Kinabatangan range landscape and Ulu Tungud	Upper Kinabatangan	1,001–5,000		
	Sepilok	Sepilok	101–300		
	Tabin range landscape	Tabin	1,001–5,000		
	Trus madi landscape	Trus Madi forests	101–300		
	Ulu Kalumpang range landscape	Ulu Kalumpang FR	301–500		
	Ulu Tungud landscape	n/a	≤50		

Note: The current and previous site names do not necessarily refer to identical areas. In some cases the new site name may encompass multiple sites that were previously listed separately. As a result, orangutan numbers are not directly comparable over time at the site level. Since the site names reflect those used in previous *State of the Apes* reports, the population numbers may differ from those in Utami-Atmoko *et al.* (2019).

Table 14 Northwest Bornean Orangutan (*Pongo pygmaeus pygmaeus*) Abundance Estimates

Country	Site name	Site name in previous volumes of <i>State of the Apes</i>	Abundance class	Year of estimate	Source
Indonesia	Betung Kerihun NP and protection forest	Betung Kerihun, part of Upper Kapuas swamps	1,001–5,000	2016	Utami-Atmoko <i>et al.</i> (2019)
	Danau Sentarum and corridor	Danau Sentarum, part of Upper Kapuas swamps	501–1,000		
	Pygmaeus fragmented North	n/a	≤50		
	Pygmaeus fragmented South	n/a	≤50		
Indonesia/Malaysia	Bungoh NP–Gunung Nyiut NR, Penrisen protection forest	n/a	51–100	2016	Utami-Atmoko <i>et al.</i> (2019)
	Klingkang Range NP, Sintang Utara	n/a	51–100		
Malaysia (Sarawak)	Batang Ai-Lanjak Entimau landscape	Batang Ai, Lanjak Entimau	1,001–5,000		
	Ulu Sebuyau-Sedilu landscape	n/a	≤50		

Note: The current and previous site names do not necessarily refer to identical areas. In some cases the new site name may encompass multiple sites that were previously listed separately. As a result, orangutan numbers are not directly comparable over time at the site level.

Table 15 Southwest Bornean Orangutan (*Pongo pygmaeus wurmbii*) Abundance Estimates

Country	Site name	Site name in previous volumes of <i>State of the Apes</i>	Abundance class	Year of estimate	Source
Indonesia	Arabela Schwaner	Bukit Baka, Bukit Rongga and Perai, Arut Belantikan, Seruyan, Bukit Raya, Sei Kahayan-Sei Samba, Sei Samba-Sei Katingan, Cagar Alam B. Sapat Hawung	10,001–20,000	2016	Utami-Atmoko <i>et al.</i> (2019)
	Barito Timur	n/a	101–300		
	Gunung Palung-Sungai Putri	Gunung Palung	1,001–5,000		
	Kahayan-Kapuas	Kahayan Kapuas	1,001–5,000		
	Kapuas-Barito	Mawas, Cagar Alam Pararawen	1,001–5,000		
	Katingan	Katingan	1,001–5,000		

Kendawangan-Jelai	n/a	≤50	
Kotawaringin-Lama	Tanjung Keluang	501–1,000	
Kubu Raya	n/a	1,001–5,000	
Lamandau-Sukumara	Lamandau	501–1,000	
Pematang Gadung	n/a	501–1,000	
Rungan River landscape	Rungan Kahayan	1,001–5,000	
Sebangau	Sebangau NP, Sebangau Kahayan	5,001–10,000	
Seruan-Sampit	n/a	101–300	
Sungai Tengar	n/a	101–300	
Tanjung Puting	Tanjung Puting NP	1,001–5,000	

Note: The current and previous site names do not necessarily refer to identical areas. In some cases the new site name may encompass multiple sites that were previously listed separately. As a result, orangutan numbers are not directly comparable over time at the site level.

< a > Gibbon Abundance and Density Estimates

The most effective measures for monitoring gibbon populations are density estimates, formulated as individuals or groups per square kilometer. Abundance classes may be obtained by extrapolating density estimates to larger areas. The following tables provide available density estimates alongside abundance estimates; in the absence of data, the word “present” is used to indicate that gibbons are known to occur.

Table 16 Gaoligong Hoolock Gibbon (*Hoolock tianxing*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
China	Mt. Gaoligong, Yunnan	101–300	2008–09	Fan <i>et al.</i> (2017)
Myanmar	Kachin state	Present	2009–10	Geissmann <i>et al.</i> (2013)
	Kayah and Kayin states	10,001–20,000	2010	Geissmann <i>et al.</i> (2013)
	Rakhine state	10,001–20,000	2008–09	Geissmann <i>et al.</i> (2013)
	Shan state	20,001–50,000	2010	Geissmann <i>et al.</i> (2013)

Notes: Populations in Myanmar are distributed on the east bank of the Irrawaddy River, and therefore are likely to represent *Hoolock tianxing* (Fan *et al.*, 2017), which had not been differentiated as a separate species when Geissmann *et al.* (2013) was published. The population in Myanmar’s Rakhine state was identified as Gaoligong hoolock, rather than western hoolock, in 2019 (Fan, Turvey and Bryant, 2020).

Table 17 Western Hoolock (*Hoolock hoolock*) Abundance Estimates

Country	Site name	Abundance class/density	Survey year(s)	Source
Bangladesh	Kalachara Forest Beat	≤50	2009	Akers, Islam and Nijman (2013)
	Lawachara and Chunati	Present	1990–91	Feeroz and Islam (1992)
India	Assam	1,001–5,000	1994–2004	Das <i>et al.</i> (2005)
	Barail and Langting-Mupa Reserve Forests (North)	Present	1986–88	Choudhury (2000)

Cachar Hills), Hollongapar Reserve Forest (Jorhat district), Innerline Reserve Forest (Cachar)			
Dampa Tiger Reserve	≤50	2010–11	Pachuau <i>et al.</i> (2013)
Hollongapur FR	Present	1971–73	Tilson (1979)
Namdapha NP	1,001–5,000; 3.65 groups/km ²	2012	Ray <i>et al.</i> (2015)

Table 18 Eastern Hoolock (*Hoolock leuconedys*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
China	Gaoligongshan National NR	≤50	2009	Fan <i>et al.</i> (2011)
	Yingjiang (county)	51–100	2009	Fan <i>et al.</i> (2011)
Myanmar	Magwe region	Present	2009	Geissmann <i>et al.</i> (2013)
	Sagaing region	10,001–20,000	2009	Geissmann <i>et al.</i> (2013)

Table 19 Abbott's Gray Gibbon (*Hylobates abbotti*)

There are no accurate population density estimates for Abbott's gray gibbon. Population estimates for the species in Indonesia and Malaysia are extrapolations based on data for related species. While a significant population probably exists outside protected areas, it remains to be assessed. The impact of plantations (especially oil palm plantations) on gibbon populations is unknown; more data are needed before an evaluation may be made.

Table 20 Agile Gibbon (*Hylobates agilis*) Abundance Estimates

Country	Site name	Density	Survey year(s)	Source
Indonesia	Air Tarusan Reserve	Present	2015	A.B. Chanee, unpublished data (2015)
	Batang Gadis NP	8.8–15.5 individuals/km ²	2008	Sultan, Mansjoer and Bismark (2009)
	Bukit Barisan Seletan	1.4–2.8 individuals/km ²	2001	O'Brien <i>et al.</i> (2004)
	Harapan Rainforest	6.3–13.4 individuals/km ²	2009–10	Lee, Powell and Lindsell (2015)
	Kerinci Seblat NP	6.0–11.4 individuals/km ²	1998	Yanuar (2009)
	Way Kambas	1.9 individuals/km ²	1992	Yanuar (2009)
Malaysia	Sungai Dal	5.5–18.9 individuals (2–5 groups)/km ²	1978	Gittins (1979)

Table 21 Bornean White-bearded Gibbon (*Hylobates albifrons*) Abundance Estimates

Country	Site name	Abundance class	Density	Survey year(s)	Source
Indonesia	Bawan	20,001–50,000	4.78 groups/km ²	2010	Harrison <i>et al.</i> (2012)

	Block C Ex-Mega Rice Project	5,001–10,000	2.33 groups/km ²	2011	Cheyne (2011)
	Bukit Baka Bukit Raya NP	10,001–20,000	2.78 groups/km ²	2003	S. Cheyne, unpublished data (2003)
	Gunung Palung NP	5,001–10,000	n/a	2014	Marshall, Beaudrot and Wittmer (2014)
	Mungku Baru	1,001–5,000	2.26 groups/km ²	2010	Harrison <i>et al.</i> (2010)
	Pararawen Reserve	n/a	n/a	2014	A.B. Chanee, unpublished data (2015)
	Sabangau Forest Landscape	**10,001–20,000	2.65 groups/km ²	2007–16	Cheyne <i>et al.</i> (2016)

Note: Two asterisks (**) indicate that an ape population is growing.

Table 22 Bornean Gray Gibbon (*Hylobates funereus*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
Indonesia	Betung Kerihun NP	Present	n/a	S. Cheyne, unpublished data (2010)
	Danau Sentarum-Betung Kerihun	Present	n/a	S. Cheyne, unpublished data (2014)
	Kayan Menterang NP	10,001–20,000	2004	Nijman and Menken (2005)
	Kutai NP	Present	2014	S. Cheyne, unpublished data (2014)
	Sankulirang karst area	Present	2014	S. Cheyne, unpublished data (2014)
	Wehea Protection Forest	1,001–5,000	2013	Cheyne <i>et al.</i> (2016)
Malaysia	Crocker Range NP	Present	None	M. Ancrenaz, personal communication (2018)
	Danum Valley	Present	None	M. Ancrenaz, personal communication (2018)
	Imbak Canyon Conservation Area	Present	None	M. Ancrenaz, personal communication (2018)
	Kinabatangan	Present	None	M. Ancrenaz, personal communication (2018)
	Malinau Basin	Present	None	M. Ancrenaz, personal communication (2018)

Note: No population information could be found for this species in Brunei.

Table 23 Kloss's Gibbon (*Hylobates klossii*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
Indonesia	Saraboa and Sikakap	Present	1970	Tenaza and Hamilton (1971)
	Siberut Island NP	10,001–20,000	2012	Höing <i>et al.</i> (2013)

Table 24 Lar Gibbon (*Hylobates lar*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source

China	Nangunhe NR, southwest Yunnan	Extirpated	2007	Grueter <i>et al.</i> (2009)
Indonesia	Ketambe Research Station	Present	1991	Palombit (1995)
Lao People's Democratic Republic (PDR)	Nam Pouy National Protected Area (NPA)	Present	2010	Boonratana <i>et al.</i> (2011)
Thailand	Khao Yai NP	Present	1992–96	Sommer and Reichard (1997)
	Mo Singto, Khao Yai NP	Present	1994–95	Bartlett (2009)

Note: No population information could be found for this species in Malaysia or Myanmar.

Table 25 Moloch Gibbon (*Hylobates moloch*) Abundance Estimates

Country	Site name	Abundance class/density	Survey year(s)	Source
Indonesia	Bojongpicung	Present	1994–2002	Nijman (2004)
	Cisolok	Present	1994–2002	Nijman (2004)
	Gede Pangrango	101–300	2007	Iskandar (2007)
	Lengkong	Present	1994–2002	Nijman (2004)
	Leuweung Sancang	Present	1994–2002	Nijman (2004)
	Mt. Burangrang-Tangkuban Perahu	51–100	1994–2002	Nijman (2004)
	Mt. Ciremai	Present	1994–2001	Nijman (2004)
	Mt. Dieng	501–1,000	2003	Nijman (2004)
	Mt. Halimun Salak NP	1,001–5,000	2007	Iskandar (2007)
	Mt. Halu	Present	1994–2002	Nijman (2004)
	Mt. Jayanti-Tangkuban Perahu	Present	1994–2001	Nijman (2004)
	Mt. Lawet/Cupu-Simembut/Jaran	51–100	1994–2002	Nijman (2004)
	Mt. Malang	Present	1994–2002	Nijman (2004)
	Mt. Manglayang	Present	1994–2002	Nijman (2004)
	Mt. Masegit-Kareumbi	Present	1994–2002	Nijman (2004)
	Mt. Papandayan	101–300	1994	Nijman (2004)
	Mt. Pongkor	Present	1994–2002	Nijman (2004)
	Mt. Porang	Present	1994–2002	Nijman (2004)
	Mt. Sawal	Present	1994–2001	Nijman (2004)
	Mt. Segara	51–100	1994–2002	Nijman (2004)
	Mt. Simpang	501–1,000	1994	Nijman (2004)
	Mt. Slamet	51–100; 1.7 individuals/km ²	2009–10	Setiawan <i>et al.</i> (2012)
	Mt. Tilu	51–100	1994–2002	Nijman (2004)
	Mt. Wayang	101–300	1994	Nijman (2004)
	Pasir Susuru	≤50	1994–2002	Nijman (2004)
	Sanggabuana	51–100	1994–2002	Nijman (2004)
	Takokak	≤50	1994–2002	Nijman (2004)
	Telaga Warna-Megamendung	51–100	1994–2002	Nijman (2004)
	Ujung Kulon (Honje-Tereleng)	501–1,000	1994–2002	Nijman (2004)

Table 26 Müller's Gibbon (*Hylobates muelleri*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
Indonesia	Gunung Lumut Reserve (Hutan Lindung)	5,001–10,000	2011	A.B. Chanee, unpublished data (2015)
	Sungai Wain Protection Forest	1,001–5,000	2012	Gilhooly, Rayadin and Cheyne (2015)
	Uut Murung (mixed community and unprotected)	50,001–100,000	2011	Cheyne <i>et al.</i> (2016)

Table 27 Pileated Gibbon (*Hylobates pileatus*) Abundance Estimates

Country	Site name	Abundance class	Density	Survey year(s)	Source
Cambodia	Bokor NP	1,001–5,000	0.62 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Botum Sakor NP	5,001–10,000	1.55 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Central Cardamoms NP	10,001–20,000	2.02 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Kirirom NP	1,001–5,000	1.40 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Kulen Promtep Wildlife Sanctuary	1,001–5,000	1.7 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Phnom Aural Wildlife Sanctuary	1,001–5,000	1.32 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Phnom Samkos Wildlife Sanctuary	5,001–10,000	1.32 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Prey Long Wildlife Sanctuary	1,001–5,000	0.55 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Samling concession	1,001–5,000	1.30 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
Thailand	Southern Cardamom NP	10,001–20,000	1.19 groups/km ²	2003	Traeholt <i>et al.</i> (2005)
	Khao Ang Rue Nai Wildlife Sanctuary	1,001–5,000	1.02 groups/km ²	2007–08	Phoonjampa <i>et al.</i> (2011)
	Khao Soi Dao Wildlife Sanctuary	1,001–5,000	n/a	2004–05	Phoonjampa and Brockelman (2008)
	Khao Yai NP	1,001–5,000	n/a	2004–05	Phoonjampa and Brockelman (2008)
	Pang Sida and Tab Lan NPs	1,001–5,000	n/a	2004–05	Phoonjampa and Brockelman (2008)

Note: No population information could be found for this species in Lao PDR.

Table 28 Northern Yellow-cheeked Crested Gibbon (*Nomascus annamensis*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
Cambodia	Vensai Siempang NP	Present	2017	Conservation International Cambodia, unpublished data (2017)
	Virachey NP	Present	2017	General Directorate of the Administration for Nature Conservation

				and Protection, Ministry of Environment, Cambodia, unpublished data (2017)
Lao PDR	Bolaven Northeast	Present	1995	Duckworth (2008)
	Bolaven Southwest	Present	1995	Duckworth (2008)
	Dakchung plateau	Present	1994	Duckworth (2008)
	Dong Ampham NPA	Present	2007	Duckworth (2008)
	Dong Hua Sao NPA	Present	2008	Duckworth (2008)
	Dong Kapho Production Forest	Present	2005	Duckworth (2008)
	Dong Nathat conservation area	Present	Pre-1990	Duckworth (2008)
	Dong Phou Vieng NPA	Present	2008	Duckworth (2008)
	Dong Sithouan production forest	Present	2005	Duckworth (2008)
	Laongam production forest	Present	2002	Duckworth (2008)
	Muang Kaleum	Present	2008	Duckworth (2008)
	Muang Lamam	Present	2008	Duckworth (2008)
	Muang Nong	Present	2007	Duckworth (2008)
	Muang Paksong	Present	2007	Duckworth (2008)
	Muang Pathoumphon	Present	2005	Duckworth (2008)
	Muang Samakhixai	Present	2007	Duckworth (2008)
	Muang Sanamxai	Present	2007	Duckworth (2008)
	Muang Somoy	Present	2008	Duckworth (2008)
	Muang Taoy	Present	2007	Duckworth (2008)
	Nam Ghong Provincial Protected Area	Present	2007	Duckworth (2008)
	Phou Ahyon	Present	1996	Duckworth (2008)
	Phou Khathong proposed NPA	Present	2008	Duckworth (2008)
	Phou Talava production forest	Present	2005	Duckworth (2008)
	Phou Theung proposed NPA	Present	2006	Duckworth (2008)
	Phou Xiang Thong NPA	Present	2008	Duckworth (2008)
	Silivangveun production forest	Present	2002	Duckworth (2008)
	Thateng	Present	1989	Duckworth (2008)
Viet Nam	Xe Bang-Nouan NPA	Present	2008	Duckworth (2008)
	Xe Khampho proposed NPA	Present	1995	Duckworth (2008)
	Xe Kong Pine Forest	Present	1992	Duckworth (2008)
	Xe Pian NPA	Present	2008	Duckworth (2008)
	Xe Sap NPA	Present	2008	Duckworth (2008)
	Xonbully Eld's Deer Sanctuary	Present	2008	Duckworth (2008)
	A Luoi Watershed	≤50	2008	Rawson <i>et al.</i> (2011)
	An Toan NR	101–300	2016	Duc, Bang and Covert (2017)
	Ba Na-Nui Chua NR	Present	2006	Rawson <i>et al.</i> (2011)
	Bach Ma NP	Extirpated	2010	Rawson <i>et al.</i> (2011)
	Chu Mom Ray NP	≤50	2007	Rawson <i>et al.</i> (2011)
	Dak Rong NR	51–100	2010	Rawson <i>et al.</i> (2011)
	Dakroong and Tam Lap state forest enterprise (SFE)	≤50	2008	Rawson <i>et al.</i> (2011)
	Kon Cha Rang NR	≤50	2010	Rawson <i>et al.</i> (2011)
	Kon Ka Kinh NP	≤50	2010	Rawson <i>et al.</i> (2011)

	Kon Plong SFE	≤ 50	2009	Rawson <i>et al.</i> (2011)
	Nam Dong Watershed Forest	≤ 50	2007	Rawson <i>et al.</i> (2011)
	Ngoc Linh NR	Present	2006	Rawson <i>et al.</i> (2011)
	Ngoc Linh proposed NR	Extirpated	2005	Rawson <i>et al.</i> (2011)
	Phong Dien NR	≤ 50	2010	Rawson <i>et al.</i> (2011)
	Quang Nam Saola NR	Present	2005	Rawson <i>et al.</i> (2011)
	Que Son proposed Species and Habitat Conservation Area	Present	2009	Rawson <i>et al.</i> (2011)
	Song Thanh NR	≤ 50	2004	Rawson <i>et al.</i> (2011)
	Thua Thien Hue Saola NR	Extirpated	2010	Rawson <i>et al.</i> (2011)
	Western Ba To proposed NR	101–300	2016	Duc, Bang and Covert (2017)

Table 29 Western Black-crested Gibbon (*Nomascus concolor*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
China	Ailaoshan National NR	101–300	2009–10	Li <i>et al.</i> (2011)
	Ailaoshan National NR and Xinping Ailaoshan County-level NR	301–500	2009–10	Li <i>et al.</i> (2011)
	Lanbanghe Provincial NR	Present	2011	Sun <i>et al.</i> (2012)
	Lancangjiang Provincial NR	Present	2011	Sun <i>et al.</i> (2012)
	Northern part of Nangunhe National NR	Present	2011	Sun <i>et al.</i> (2012)
	Wuliangshan National NR	1,001–5,000	2012	Guan <i>et al.</i> (2018)
	Yongdedaxueshan National NR	≤ 50	2011	Sun <i>et al.</i> (2012)
Lao PDR	Zhenyuan	≤ 50	2011	Luo (2011)
	Houay Nam Loi	Present	1991	Duckworth (2008)
	Louang-Namtha	Present	2006	Duckworth (2008)
	Nam Ha NPA	Present	2007	Duckworth (2008)
	Nam Kan NPA	301–500	2013	Timmins and Duckworth (2013)
Viet Nam	Nam Kong Provincial Protected Area	Present	1997	Duckworth (2008)
	Hoang Lien NR and vicinity	Present	2009	Rawson <i>et al.</i> (2011)
	Hoang Lien-Van Ban NR	≤ 50	2009	Rawson <i>et al.</i> (2011)
	Mu Cang Chai Species and Habitat Conservation Area	≤ 50	2010	Rawson <i>et al.</i> (2011)
	Muong La Watershed Protection Forest	≤ 50	2010	Rawson <i>et al.</i> (2011)
	Pan Village, Muong Do Commune, Phu Yen district	Present	2005	Rawson <i>et al.</i> (2011)
	Tram Tau	Present	2005	Rawson <i>et al.</i> (2011)
	Xuan Son NR	Present	2005	Rawson <i>et al.</i> (2011)

Table 30 Southern Yellow-cheeked Crested Gibbon (*Nomascus gabriellae*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
---------	-----------	-----------------	-------------	--------

Cambodia	Phnom Prich Wildlife Sanctuary	501–1000	2008	Gray, Phan and Long (2010)
	Seima Biodiversity Conservation Area	Present	2015	Wildlife Conservation Society Cambodia, unpublished data (2015)
Viet Nam	Bi Dup-Nui Ba NR	≤50	2010	Rawson et al. (2011)
	Bu Gia Map NP	101–300	2010	Rawson et al. (2011)
	Cat Tien NP	301–500	2010	Rawson et al. (2011)
	Chu Yang Sin NP	≤50	2009	Rawson et al. (2011)
	Cu Jut district	Present	2007	Rawson et al. (2011)
	Dong Nai NR	≤50	2010	Rawson et al. (2011)
	Ea So NR	Present	2006	Rawson et al. (2011)
	Ea Sup/Ea H'leo district	Present	1998	Rawson et al. (2011)
	Ea Trang Commune, M'drak	Present	1998	Rawson et al. (2011)
	Hon Ba NR	101–300	2015	Duc, Bang and Covert (2015)
	Khanh Hoa SFE and Tram Huong Forestry Company	101–300	2015	Duc, Bang and Covert (2015)
	Krong No district	Present	1998	Rawson et al. (2011)
	Loc Bac SFE	≤50	2004	Rawson et al. (2011)
	Nam Nung NR	≤50	2010	Rawson et al. (2011)
	Ninh Son SFE	101–300	2015	Duc, Bang and Covert (2015)
	Nui Ong NR	Extirpated	2010	Rawson et al. (2011)
	Phuoc Binh NP	101–300	2015	Duc, Bang and Covert (2015)
	Quang Truc commune, Dak Rlap district	101–300	2013	Duc et al. (2014)
	Ta Dung NR	51–100	2010	Rawson et al. (2011)
	Yok Don NP	Present	2007	Rawson et al. (2011)
	Yun Pa proposed NR	Present	2000	Rawson et al. (2011)

Table 31 Hainan Gibbon (*Nomascus hainanus*) Abundance Estimates

Country	Site name	Abundance class	Survey year	Source
China	Bawangling National NR	≤50	2012	Bryant (2014)

Table 32 Northern White-cheeked Crested Gibbon (*Nomascus leucogenys*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
China	Huanglianshan National NR	Extirpated	2005	Ni and Ma (2006)
	Xishuangbanna National NR	Extirpated	2012	Fan, Fei and Luo (2014)
Lao PDR	Muang Feuang	Present	1999	Duckworth (2008)
	Muang Hinheup	Present	1999	Duckworth (2008)
	Muang Houamouang	Present	2006	Duckworth (2008)
	Muang Kasi	Present	1999	Duckworth (2008)
	Muang Met	Present	1999	Duckworth (2008)
	Muang Sangthong	Present	1996	Duckworth (2008)
	Muang Vangviang	Present	1999	Duckworth (2008)
	Muang Viangthong	Present	2008	Duckworth (2008)
	Muang Xanakham	Present	2003	Duckworth (2008)
	Muang Xiangkho	Present	2008	Duckworth (2008)

Viet Nam	Nam Et-Phou Louey NPA	Present	2008	Duckworth (2008)
	Nam Gniap catchment	Present	2008	Duckworth (2008)
	Nam Kading NPA	Present	2007 and 2008	Thinh et al. (2010)
	Nam Xam NPA	Present	2000	Duckworth (2008)
	Northern Xiangkhouang	Present	2008	Duckworth (2008)
	Phou Denden NPA	Present	2005	Duckworth (2008)
	Phou Khaokhoay NPA	Present	2007	Duckworth (2008)
	Phou Phanang NPA	Present	1983	Duckworth (2008)
	Southern Xiangkhouang	Present	1996	Duckworth (2008)
	Ben En NR	Extirpated	1998	Rawson et al. (2011)
	Hang Kia-Pa Co NR	Extirpated	2009	Rawson et al. (2011)
	Huong Son Forest	≤50	2011	Rawson et al. (2011)
	Ke Go NR	≤50	2010	Rawson et al. (2011)
	Khe Ve proposed NR	Extirpated	2004	Rawson et al. (2011)

Table 33 Cao Vit Gibbon (*Nomascus nasutus*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Reference
China	Ailaoshan National NR	51–100	2006 and 2010	Li and Lu (2010)
	Huanglianshan National NR	≤50	2003–04	Ni and Ma (2006)
	Xilongshan (in Fenshuiling National NR)	≤50	2003–04	Ni and Ma (2006)
China/Viet Nam	Bangliang Gibbon NR, China, and Cao Vit Gibbon Conservation Area, Trung Khanh, Viet Nam	101–300	2016	Hoàn, Dũng and Trường (2016)
Viet Nam	Kim Hy NR	Extirpated	2009	Rawson et al. (2011)
	Lung Ri	Extirpated	2009	Rawson et al. (2011)
	Than Sa-Phuong Hoang NR	Extirpated	2011	Rawson et al. (2011)
	Thanh Hen Forest	Extirpated	1999	Rawson et al. (2011)

Table 34 Southern White-cheeked Crested Gibbon (*Nomascus siki*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Lao PDR	Dong Phousoi production forest	Present	2005	Duckworth (2008)
	Muang Boulapha	Present	1998	Duckworth (2008)
	Nakai plateau	Present	2008	Duckworth (2008)
	Nakai-Nam Theun NPA	Present	2014	Coudrat and Nanthavong (2014)
	Nam Kading NPA	Present	2007 and 2008	Thinh et al. (2010)

	Nam Theun Corridor	Present	2004	Duckworth (2008)
	Nam Theun Extension	Present	2007 and 2008	Duckworth (2008)
	Nongkapat production forest	Present	2005	Duckworth (2008)
	Phou Hinpoun	Present	2008	Duckworth (2008)
	Xe Bang Fai headwaters	Present	1998	Duckworth (2008)
Viet Nam	Bac Huong Hoa NR	≤50	2009	Rawson <i>et al.</i> (2011)
	Giang Man proposed NR	Extirpated	2004	Rawson <i>et al.</i> (2011)
	Khe Giua SFE	Extirpated	2006	Rawson <i>et al.</i> (2011)
	Khe Net proposed NR	Extirpated	2010	Rawson <i>et al.</i> (2011)
	Phong Nha–Ke Bang NP	51–100	2009	Rawson <i>et al.</i> (2011)
	Truong Son SFE	≤50	2009	Rawson <i>et al.</i> (2011)

Note: In view of uncertainty about which species are represented in Lao PDR, many areas with possible gibbon populations are not listed here.

Table 35 Siamang (*Sympalangus syndactylus*) Abundance Estimates

Country	Site name	Abundance class	Survey year(s)	Source
Indonesia	Air Tarusan Reserve	Present	2012	A.B. Chanee, unpublished data (2014)
		Present	2014	A.B. Chanee, unpublished data (2014)
	Bukit Barisan Selatan NP	20,001– 50,000	1998–2002	O'Brien <i>et al.</i> (2003)
	Kalawei Supayang Reserve	Present	2014	A.B. Chanee, unpublished data (2014)
Malaysia	Ulu Sempam and Krau Game Reserve, Gunong Benom	Present	1969–73	Chivers (1974)

Note: No population information could be found for this species in Thailand.

Acknowledgments

Principal authors: Tenekwetche Sop,³ Susan M. Cheyne,⁴ Hjalmar S. Kühl,⁵ Fiona Maisels,⁶ Serge Wich⁷ and Elizabeth Williamson⁸

³ Max Planck Institute for Evolutionary Anthropology (<https://www.eva.mpg.de>).

⁴ Borneo Nature Foundation (<http://www.borneonaturefoundation.org>).

⁵ Max Planck Institute for Evolutionary Anthropology (<https://www.eva.mpg.de>).

⁶ Wildlife Conservation Society (<https://www.wcs.org/>) and Faculty of Natural Sciences, University of Stirling (<https://www.stir.ac.uk>).

⁷ Liverpool John Moores University (<https://www.ljmu.ac.uk>) and University of Amsterdam (<https://ibed.uva.nl>).

⁸ Faculty of Natural Sciences, University of Stirling (<https://www.stir.ac.uk>).

Contributors: Marc Ancrenaz,⁹ Hedwige Boesch,¹⁰ Chanee,¹¹ Loki Du Toit,¹² Mark Grindley,¹³ Erik Meijaard,¹⁴ Vincent Nijman,¹⁵ Stuart Nixon,¹⁶ Emmanuelle Normand¹⁷ and Ian Singleton¹⁸

Author acknowledgments: The authors gratefully acknowledge the A.P.E.S. staff at the Max Planck Institute for Evolutionary Anthropology. They extend thanks to all organizations and individuals who have contributed to the IUCN SSC A.P.E.S. database, and whose publications and survey reports served as sources for the ape abundance estimates presented in this annex.

Additional acknowledgments:

The authors are grateful to all donors and partners for contributing their data and providing financial support to the conservation and research efforts that make these tables possible, including:

- African Wildlife Foundation
- Agence Française de Développement
- Arcus Foundation
- Aspinall Foundation
- Association of Zoos and Aquariums Ape TAG Conservation Initiative
- Australian Research Council/Centre of Excellence and Future Fellowship programs
- Barito River Initiative for Nature Conservation and Communities
- Borneo Nature Foundation
- Chester Zoo
- Columbus Zoo and Aquarium
- Conservation International
- Critical Ecosystem Partnership Fund
- Denver Zoo
- ECOFAC: Programme de Conservation et Utilisation Rationale des Ecosystèmes Forestiers en Afrique Centrale
- European Union/EuropeAid
- Fauna & Flora International
- Fondation Odzala-Kokoua
- Foundation for Environment and Development in Cameroon
- Gibbon Conservation Alliance
- Gilchrist Educational Trust
- Global Environment Facility
- Hellman Foundation
- HUTAN Kinabatangan Orang-utan Conservation Programme
- Indianapolis Zoo
- Iris Darnton Foundation
- Jane Goodall Institute
- Kalawein

⁹ HUTAN–Kinabatangan Orang-utan Conservation Programme (<http://www.hutan.org.my>).

¹⁰ Wild Chimpanzee Foundation (<http://www.wildchimps.org/index.html>).

¹¹ Kalawein Gibbon Rehabilitation Project (<https://www.kalawein.org/>).

¹² Independent researcher.

¹³ Fauna & Flora International Myanmar Programme (<https://www.facebook.com/ffimyanmar>).

¹⁴ Borneo Futures (<http://www.borneofutures.org/>).

¹⁵ Oxford Brookes University (<https://www.brookes.ac.uk/>).

¹⁶ Chester Zoo (<https://www.chesterzoo.org/>).

¹⁷ Wild Chimpanzee Foundation (WCF) (<http://www.wildchimps.org/index.html>).

¹⁸ PanEco Foundation (<https://paneco.ch/en/>).

- La Vallée des Singes Primate Centre
- Le Conservatoire pour la Protection des Primates
- Leakey Foundation
- Liz Claiborne Art Ortenberg Foundation
- Margot Marsh Biodiversity Foundation
- Max Planck Institute for Evolutionary Anthropology
- Mohammed bin Zayed Species Conservation Fund
- Monitoring of the Illegal Killing of Elephants (Convention on International Trade in Endangered Species of Wild Fauna and Flora)
- Natural Sciences and Engineering Research Council of Canada
- North of England Zoological Society at Chester Zoo
- Orangutan Conservancy
- Orangutan Foundation International
- Orangutan Foundation UK
- Royal Geographical Society
- Royal Scottish Geographical Society
- Rufford Foundation
- Seneca Park Zoo
- Spain-United Nations Environment Programme LifeWeb
- Sumatran Orangutan Conservation Programme
- The Nature Conservancy
- Total Gabon
- United Nations Educational, Scientific and Cultural Organization
- United Nations Educational, Scientific and Cultural Organization/Central Africa World Heritage Forest Initiative
- United States Agency for International Development/Central African Regional Program for the Environment
- United States Embassy in Laos
- United States Fish and Wildlife Service/Great Ape Conservation Fund
- University of Aberdeen (Expedition, Alumni Annual and Small Grants Funds)
- Wild Chimpanzee Foundation
- Wildlife Conservation Society
- World Bank
- World Wide Fund for Nature/World Wildlife Fund
- Zoological Society of Milwaukee and its private donors to Salonga surveys

List of Abbreviations

CAR	Central African Republic
DRC	Democratic Republic of Congo
FMU	Forest management unit
FR	Forest reserve
IUCN	International Union for Conservation of Nature
Lao PDR	Lao People's Democratic Republic
No. spp.	Number of species
NP	National park
NPA	National protected area
NR	Nature reserve
SFE	State forest enterprise
SSC	Species Survival Commission
STBC	Société de transformation de bois en Centrafrique

ZIC	Zone d'intérêt cynégétique (hunting zone)
ZICGC	Zone d'intérêt cynégétique à gestion communautaire (community-managed hunting zone)

References

- Aba'a, R. (2006). *Abondance relative des grands mammifères et des activités humaines au Parc National des Monts de Cristal et sa périphérie (Gabon, 2005)*. Libreville, Gabon: Wildlife Conservation Society (WCS) and Parcs Gabon. Unpublished report.
- Aba'a, R. and Bezangoye, A. (2007). *Estimation de la densité, de l'abondance et de la distribution relative des grands mammifères et l'impact des humains au Parc National des Monts Birougou et ses environs: établissement d'une ligne de base pour le monitoring*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Aba'a, R., Maisels, F., Starkey, M. and Memiaghe, H.R. (2011). *Inventaire des grands mammifères et l'impact humaine dans le Mayombe. Activité 3.1b part 1: rapport final*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Abitsi, G. (2006). *Inventaires de reconnaissance des grands mammifères et de l'impact des activités anthropiques. Parc National de Waka, Gabon, Décembre, 2005–Juillet, 2006*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Adanu, J., Sommer, V. and Fowler, A. (2011). Hunters, fire, cattle: conservation challenges in eastern Nigeria, with special reference to chimpanzees. In *Primates of Gashaka. Developments in Primatology: Progress and Prospects*, ed. V. Sommer and C. Ross. Berlin, Germany: Springer, pp. 55–99. DOI: 10.1007/978-1-4419-7403-7_3.
- Aebischer, T., Siguindo, G., Rochat, E., et al. (2017). First quantitative survey delineates the distribution of chimpanzees in the Eastern Central African Republic. *Biological Conservation*, **213**, 84–94. DOI: 10.1016/j.biocon.2017.06.031.
- Akers, A.A., Islam, M.A. and Nijman, V. (2013). Habitat characterization of western hoolock gibbons *Hoolock hoolock* by examining home range microhabitat use. *Primates*, **54**(4), 341–8. DOI: 10.1007/s10329-013-0352-8.
- Allam, A., Beukou, G.B., N'Goran, P. and Mahoungou, S. (2017). *Rapport d'inventaire des grands et moyens mammifères dans la forêt de Messok-Dja*. Rapport du Ministère de l'Economie et du développement Durable du Congo et du Bureau Régional du WWF pour l'Afrique, Programme TRIDOM. Unpublished report.
- Allam, A., N'Goran, P., Mahoungou, S. and Ikoa, B. (2016). *Rapport d'inventaire des grands et moyens mammifères dans la forêt de Djoua-Ivindo*. Rapport du Ministère de l'Economie et du développement Durable et du Bureau Régional du WWF pour l'Afrique, Programme TRIDOM. Unpublished report.
- Anonymous (1989). Développement Rural – Projet Bururi-Rumonge-Vyanda (Burundi). WCS/ORTPN. In *Proceedings from the First International Workshop for the Conservation and Management of Afromontane Forests*, Cyangugu, Rwanda. Unpublished report.
- ANPN (2013). *Wildlife and poaching assessment in northeast Gabon: results of the pilot study. Final report*. Libreville, Gabon: Agence Nationale des Parcs Nationaux (ANPN), Wildlife Conservation Society (WCS) and World Wide Fund for Nature (WWF). Unpublished report.
- Barakabuye, N., Mulindahabi, F., Plumptre, A.J., et al. (2007). *Conservation of chimpanzees in the Congo-Nile Divide forests of Rwanda and Burundi*. Kigali, Rwanda: Wildlife Conservation Society (WCS). Unpublished report to United States Fish and Wildlife Service (USFWS) for Project 98210-6-G095/GA 0282, December 2007. Available at: <https://albertinerift.wcs.org/About-Us/Publications.aspx>.
- Bartlett, T.Q. (2009). *The Gibbons of Khao Yai: Seasonal Variation in Behavior and Ecology*. Upper Saddle River, NJ: Pearson.
- Bassouama, A., Bongui, A.S., Ibata, S. and Mahamadou, M. (2006). *Rapport d'inventaire faune et bois commercial dans la zone ETIC, sud-ouest du Parc National d'Odzala-Kokoua, 2006*. Brazzaville, Congo: Ministère de l'Economie Forestière et de l'Environnement (MEFE), Parc National d'Odzala-Kokoua (PNOK) and World Wide Fund for Nature (WWF). Unpublished report.
- Benavides, J., Dia, T.P., Rodriguez, V. and Brugiére, D. (2016). *Dénombrement 2016 de la population de grands singes du Parc National de Deng Deng*. Parc National de Deng Deng-BRL Ingénierie-Electricity Development Corporation (PNDD-BRLI-EDC). Unpublished report.

- Bermejo, M., Rodríguez-Tejero, J.D., Illera, G., et al. (2006). Ebola outbreak killed 5000 gorillas. *Science*, **314**(5805), 1564. DOI: 10.1126/science.1133105.
- Beudels-Jamar, R., Lafontaine, R.-M., Robert, H., et al. (2015). *Inventaires faunistiques dans la Réserve Naturelle de Tumba-Lediima et dans la zone de Mbanzi/Nsélé (17/03 au 25/04/2014 et 19/08 au 20/09/2014)*. Institut Royal des Sciences Naturelles de Belgique, World Wide Fund for Nature (WWF) and Institut Congolais pour la Conservation de la Nature (ICCN). Unpublished report.
- Bezangoye, A. and Maisels, F. (2010). *Great ape and human impact monitoring in the Lopé-Waka Exceptional Priority Area, Gabon. Part 1: Lopé National Park*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Blake, S., Strindberg, S. and Princée, F. (2012). *Evaluation of the CARPO/GHOA Biological Monitoring Programme. Reporting on Consultancy Contract No. WWF CARPO/AFGAP/FY12/CC/030 and Project Activity No. 9F0865.01*. Morges, Switzerland: World Wide Fund for Nature (WWF).
- Bobo, K., Ntumwel, B.C. and Aghomo, F.F.M. (2013). Local perception on wildlife uses and related loss of cultural values around the Nkwende Hills Forest Reserve, South-West Cameroon. *Life Sciences Leaflets*, **5**, 1–8.
- Bohm, T. (2018). *Wildlife and human impact survey 2016/2017, Odzala-Kokoua National Park, Republic of Congo*. Unpublished Africa Parks' report.
- Bombome, K. (2007). *Evaluation du potentiel faunique mammalien dans l'UFA 10–047a concession forestière 1057. Diversité biologique, densité, activités humaines et distribution spatiale de la faune sauvage*. Yaoundé, Cameroon: Horizon Vert Groupement d'Intérêt Économique (GIE). Unpublished report.
- Boonratana, R., Duckworth, J.W., Phiapalath, P., Reumaux, J.-F. and Sisomphane, C. (2011). The precarious status of the white-handed gibbon *Hylobates lar* in Lao PDR. *Asian Primates Journal*, **2**, 13–20.
- Bout, N. (2006). *Parc National des Plateaux Batéké suivi écologique des grands mammifères et de la pression humaine. Rapport final*. Libreville, Gabon: Wildlife Conservation Society (WCS) and John Aspinall Foundation. Unpublished report.
- Brncic, T.M., Amarasekaran, B. and McKenna, A. (2010). *Sierra Leone National Chimpanzee Census Project August 2010*. Freetown, Sierra Leone: Tacugama Chimpanzee Sanctuary. Available at: http://www.tacugama.com/wp-content/uploads/2017/12/2010_Brncic_SLNCCP_Final_Report.pdf.
- Brncic, T., Madzoke, B., Ndzaï, C., et al. (2018). *Results of the 2016–2017 Large Mammal Survey of the Ndoki-Likouala Landscape*. Brazzaville, Congo: Wildlife Conservation Society (WCS) Congo.
- Bruce, T., Ndjassi, C., Fowler, A., et al. (2018). *Faunal Inventory of the Dja Faunal Reserve, Cameroon – 2018*. Yaoundé, Cameroon: Ministry of Forests and Wildlife (MINFOF), Zoological Society of London (ZSL) – Cameroon Country Programme, African Wildlife Foundation.
- Bryant, J.V. (2014). *Developing a conservation evidence-base for the critically endangered Hainan gibbon (*Nomascus hainanus*)*. PhD thesis. London, UK: University College London and Institute of Zoology (Zoological Society of London).
- Buzzard, P.J. and Parker, A.J.A. (2012). Surveys from the Subri River Forest Reserve, Ghana. *African Primates*, **7**(2), 175–83. Available at: <http://www.primate-sg.org/african-primates-volume-7-2/>.
- Campbell, G. (2008). *Rapport préliminaire sur les parcs nationaux et les forêts classées inventoriés en Côte d'Ivoire*. Rapport présenté à la direction de l'OIPR et de la SODEFOR. Unpublished report.
- Campbell, G. and Houngbedji, M. (2015). *Conservation status of the West African chimpanzee (*Pan troglodytes verus*) in Togo and Benin. Final report presented to Conservation International – Primate Action Fund April 2015*. Arlington, VA: Primate Action Fund. Unpublished report. Available at: <http://www.primate-sg.org/unpublished-reports>.
- Carvalho, J.S., Marques, T.A. and Vicente, L. (2013). Population status of *Pan troglodytes verus* in Lagoas de Cufada Natural Park, Guinea-Bissau. *PLOS ONE*, **8**(8), e71527. DOI: 10.1371/journal.pone.0071527.
- Chancellor, R.L., Langergraber, K., Ramirez, S., Rundus, A.S. and Vigilant, L. (2012). Genetic sampling of unhabituated chimpanzees (*Pan troglodytes schweinfurthii*) in Gishwati Forest Reserve, an

- isolated forest fragment in western Rwanda. *International Journal of Primatology*, **33**(2), 479–88. DOI: 10.1007/s10764-012-9591-6.
- Cheyne, S.M. (2011). *Ex-Mega Rice Project Gibbon Density and Comparison with Other Sites. Project report*. Palangka Raya, Indonesia: Orangutan Tropical Peatland Project (OuTROP). Available at: http://www.outrop.com/uploads/7/2/4/9/7249041/cheyne_gibbon_density_comparisons_report.pdf.
- Cheyne, S.M., Gilhooly, L.J., Hamard, M.C., et al. (2016). Population mapping of gibbons in Kalimantan, Indonesia: correlates of gibbon density and vegetation across the species' range. *Endangered Species Research*, **30**(1), 133–43. DOI: 10.3354/esr00734.
- Chivers, D.J. (1974). The siamang in Malaya: a field study of a primate in tropical rainforest. *Contributions to Primatology*, **4**, 1–335.
- Choudhury, A.U. (2000). A survey of hoolock gibbon (*Hylobates hoolock*) in Dibru-Saik-Howa National Park, Assam, India. *Primate Report*, **56**, 61–6.
- Coudrat, C.N.Z. and Nanthavong, C. (2014). Gibbon survey and taxonomical status in Nakai-Nam Theun National Protected Area, Laos reveals one of the largest remaining populations of white-cheeked gibbons: implications for their long-term conservation. Presented at: *XXVIIth International Primatological Society Congress*, Hanoi, Viet Nam.
- Danquah, E., Oppong, S.K., Akom, E. and Sam, M. (2012). Preliminary survey of chimpanzees and threatened monkeys in the Bia-Goaso forest block in southwestern Ghana. *African Primates*, **7**, 163–74.
- Das, J., Bhattacharjee, P.C., Biswas, J. and Chetry, D. (2005). *Western Hoolock Gibbon: Socioecology, Threats and Conservation Action Plan*. Guwahati, India: Department of Zoology, Gauhati University, and Primate Research Centre, Northeast Centre.
- Davenport, T.R.B., Mpunga, N., Philips, G.P., et al. (2010). *The conservation status of the chimpanzee (*Pan troglodytes schweinfurthii*) in southern Tanganyika*. Tanzania: Wildlife Conservation Society (WCS). Unpublished report.
- De Vere, R.A., Warren, Y., Nicholas, A., Mackenzie, M.E. and Higham, J.P. (2011). Nest site ecology of the Cross River gorilla at the Kagwene Gorilla Sanctuary, Cameroon, with special reference to anthropogenic influence. *American Journal of Primatology*, **73**(3), 253–61. DOI: 10.1002/ajp.20886.
- Duc, H.M., Bang, T.V. and Covert, H.H. (2015). *Assessment of conservation status and strengthening conservation of yellow-cheeked crested gibbon and other primates in southeastern slope of the Da Lat Plateau, Vietnam*. Ho Chi Minh City, Viet Nam. Unpublished report.
- Duc, H.M., Bang, T.V. and Covert, H.H. (2017). *Strengthening conservation of the northern yellow-cheeked gibbon *Nomascus annamensis* and the establishment of community-based monitoring group on the eastern slope of the Central Annamites, Vietnam*. Ho Chi Minh City, Viet Nam. Unpublished report.
- Duc, H.M., Bang, T.V., Tinh, M.X. and Thang, N.D. (2014). *Final report on fauna in Quang Truc Commune, Tuy Duc District, Dak Nong Province, with an emphasis on population assessment of yellow-cheeked crested gibbon*. Technical report for Fauna & Flora International (FFI). Ho Chi Minh City, Viet Nam. Unpublished report.
- Duckworth, J.W. (2008). *Preliminary gibbon status review for Lao PDR 2008*. Hanoi, Viet Nam, and Cambridge, UK: Fauna & Flora International (FFI) and Arcus Foundation. Unpublished report. Available at: <https://www.issuelab.org/resources/10668/10668.pdf>.
- Dunn, A., Bergl, R., Byler, D., et al. (2014). *Revised Regional Action Plan for the Conservation of the Cross River Gorilla (*Gorilla gorilla diehli*) 2014–2019*. New York, NY: International Union for Conservation of Nature Species Survival Commission (IUCN SSC) Primate Specialist Group and Wildlife Conservation Society (WCS). Available at: <https://portals.iucn.org/library/node/44661>.
- Ekinde, A. and Ashu, M. (2006). *Preliminary survey of apes around the Assaka forest, Akwaya Subdivision, South West Province, Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.

- Ekinde, A., Ashu, M. and Sunderland-Groves, J. (2005). *Preliminary ape surveys around the Fungom Forest Reserve and Furu-Awa sub division, North West Province, Cameroon*. Unpublished report to the Wildlife Conservation Society (WCS) and Cross River Gorilla Project.
- Ekobo, A. (2006). *Evaluation des potentialités fauniques du Sanctuaire des gorilles à Mengame*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Ekobo, A. (2007). *Etude sur les potentialités fauniques de l'UFA 00–004 Province du Littoral, Cameroon*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Ellioti.org (n.d.). *P.t. ellioti by the numbers*. Ellioti.org. Available at: <http://www.elliotti.org/p.t.elliotti-by-the-numbers.html>. Accessed: January, 2020.
- Eno Nku, M. (2003a). *Rapid large mammal assessment of Ejagham Forest Reserve, South West Province, Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Eno Nku, M. (2003b). *Rapid large mammal assessment of Nkwende Hills forest concession (UFA 11–001) and Upper Banyang forest concession (UFA 11–002), South West Province, Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Eno Nku, M. (2004a). *Large mammal reconnaissance surveys of Lake Barombi Mbo and Southern Bakundu Forest Reserves, SW Province Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Eno Nku, M. (2004b). *Large mammal reconnaissance surveys of Mt Etinde Forest Reserve, SW Province, Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Eno Nku, M. (2013). *Large mammal surveys of the Mount Cameroon National Park*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Etoga, G. (2001). *Étude sur les potentialités fauniques de l'UFA 10-038*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Etoga, G. (2002). *Étude sur les potentialités fauniques de l'UFA 10-039. Rapport pour RP Pallisco*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Fan, P.-F., Fei, H.-L. and Luo, A.-D. (2014). Ecological extinction of the critically endangered northern white-cheeked gibbon *Nomascus leucogenys* in China. *Oryx*, **48**(1), 52–5. DOI: 10.1017/S0030605312001305.
- Fan, P.-F., He, K., Chen, X., et al. (2017). Description of a new species of hoolock gibbon (Primates: Hylobatidae) based on integrative taxonomy. *American Journal of Primatology*, **79**(5), e22631. DOI: 10.1002/ajp.22631.
- Fan, P.F., Turvey, S.T. and Bryant, J.V. (2020). *Hoolock tianxing (amended version of 2019 assessment)*. The IUCN Red List of Threatened Species 2020: e.T118355648A166597159. Gland, Switzerland: International Union for Conservation of Nature (IUCN). Available at: <https://dx.doi.org/10.2305/IUCN.UK.2020-1.RLTS.T118355648A166597159.en>.
- Fan, P.-F., Xiao, W., Huo, S., et al. (2011). Distribution and conservation status of the vulnerable eastern hoolock gibbon *Hoolock leuconedys* in China. *Oryx*, **45**(1), 129–34. DOI: 10.1017/S003060531000089X.
- Feeroz, M.M. and Islam, M.A. (1992). *Ecology and Behaviour of Hoolock Gibbons in Bangladesh*. Dhaka, Bangladesh: Multidisciplinary Action Research Centre.
- Fonkwo, N.S., Angwafo, T.E. and Mbida, M. (2011). Abundance and distribution of large mammals in the Bakossi landscape area, Cameroon. *Journal of Soil Science and Environmental Management*, **2**, 43–8.
- Fotso, R., Eno Nku, M. and Groves, J. (2002). *Distribution and conservation status of gorilla population in the forests around Belabo, Eastern Province, Cameroon*. Limbe, Cameroon: WCS. Report to Cameroon Oil Transportation Company (COTCO).
- Furnell, S., Dowd, D., Tweh, C., et al. (2015a). *Biomonitoring in the Proposed Grebo-Krahn National Park. Report on Phase 2 in the Proposed Grebo-Krahn National Park (February-June 2015)*. Prepared by Wild Chimpanzee Foundation (WCF) in collaboration with Forestry Development Authority, Liberia. Available at: http://www.wildchimps.org/fileadmin/content_files/pdfs/reports/Biomonitoring_PGKNP_2015_FINAL_REPORT_small.pdf.

- Furnell, S., Dowd, D., Tweh, C., et al. (2015b). *Final Report: Survey of Wildlife and Anthropogenic Threats in the Grebo-Sapo Corridor, South-Eastern Liberia (May–July 2015)*. Prepared by Wild Chimpanzee Foundation (WCF) in collaboration with Forestry Development Authority, Liberia. Available at: https://www.wildchimps.org/fileadmin/content_files/pdfs/reports/FINAL_REPORT_GS_Corridor_Survey_2015.pdf.
- Gašperšič, M. and Pruetz, J.D. (2011). Chimpanzees in Bandafassi arrondissement, southeastern Senegal: field surveys as a basis for the sustainable community-based conservation. *Pan Africa News*, **18**, 23–5. Available at: http://mahale.main.jp/PAN/18_2/contents.html.
- Gatti, S. (2009). *Status of primate populations in protected areas targeted by the Community Forest Biodiversity Project*. Accra, Ghana: West African Primate Conservation Action (WAPCA) Wildlife Division (WD) and Forestry Commission (FC). Internal report prepared for the Ministry of Lands, Forestry and Mines, Ghana, within the context of the FFEM-funded project CFBP: Community Forest Biodiversity Project, Component 1: Community Forest Biodiversity Project: Status of primate populations in Protected Areas targeted under CFBP. Available at: <http://www.primate-sg.org/ghana-unpublished-reports/>.
- Geissmann, T., Grindley, M., Ngwe, L., et al. (2013). *The Conservation Status of Hoolock Gibbons in Myanmar*. Zürich, Switzerland: Gibbon Conservation Alliance. Available at: http://www.gibbonconservation.org/07_publications/book/2013_hoolock_myanmar.pdf.
- Gilhooly, L.J., Rayadin, Y. and Cheyne, S.M. (2015). A comparison of hylobatid survey methods using triangulation on Müller's gibbon (*Hylobates muelleri*) in Sungai Wain Protection Forest, East Kalimantan, Indonesia. *International Journal of Primatology*, **36**(3), 567–82. DOI: 10.1007/s10764-015-9845-1.
- Ginn, L.P., Robison, J., Redmond, I. and Nekaris, K.A.I. (2013). Strong evidence that the West African chimpanzee is extirpated from Burkina Faso. *Oryx*, **47**(3), 325–6. DOI: 10.1017/S0030605313000434.
- Gittins, S.P. (1979). *The Behaviour and Ecology of the Agile Gibbon (Hylobates agilis)*. Cambridge, UK: Wildlife Research Group. University of Cambridge.
- Granier, N. and Awotwe-Pratt, V. (2007). A rapid survey of primates from the Atewa Range Forest Reserve, Ghana. In *A Rapid Biological Assessment of the Atewa Range Forest Reserve, Eastern Ghana. RAP Bulletin of Biological Assessment* 47, ed. Conservation International. Washington DC: Conservation International. DOI: 10.1896/054.047.0118.
- Granier, N., Hambuckers, A., Matsuzawa, T. and Huynen, M.-C. (2014). Density estimates and nesting-site selection in chimpanzees of the Nimba Mountains, Côte d'Ivoire, and Guinea. *American Journal of Primatology*, **76**(11), 999–1010. DOI: 10.1002/ajp.22278.
- Granjon, A.-C., Robbins, M.M., Arinaitwe, J., et al. (2020). Estimating abundance and growth rates in a wild mountain gorilla population. *Animal Conservation*. DOI: 10.1111/acv.12559.
- Gray, T.N.E., Phan, C. and Long, B. (2010). Modelling species distribution at multiple spatial scales: gibbon habitat preferences in a fragmented landscape. *Animal Conservation*, **13**(3), 324–32. DOI: 10.1111/j.1469-1795.2010.00351.x.
- Greengrass, E.J. (2006). *A survey of chimpanzees in south-west Nigeria*. Lekki, Nigeria: Nigerian Conservation Foundation and Wildlife Conservation Society (WCS). Unpublished report.
- Greengrass, E.J. and Maisels, F. (2007). *Conservation of the Nigeria-Cameroon chimpanzee P. t. vellerosus (and other mammals) in and around the Banyang-Mbo Wildlife Sanctuary, South-West Province, Cameroon*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Grossmann, F., Hart, J.A., Vosper, A. and Ilambu, O. (2008). Range occupation and population estimates of bonobos in the Salonga National Park: application to large-scale surveys of bonobos in the Democratic Republic of Congo. In *The Bonobos: Behavior, Ecology, and Conservation*, ed. T. Furuichi and J. Thompson. New York, NY: Springer, pp. 189–216. DOI: 10.1007/978-0-387-74787-3_11.
- Grueter, C.C., Jiang, X., Konrad, R., et al. (2009). Are *Hylobates lar* extirpated from China? *International Journal of Primatology*, **30**(4), 553–67. DOI: 10.1007/s10764-009-9360-3.

- Guan, Z.-H., Ma, C.-Y., Fei, H.-L., et al. (2018). Ecology and social system of northern gibbons living in cold seasonal forests. *Zoological Research*, **39**, 255–65. DOI: 10.24272/j.issn.2095-8137.2018.045.
- Hakizimana, D. and Huynen, M.C. (2013). Chimpanzee (*Pan troglodytes schweinfurthii*) population density and abundance in Kibira National Park, Burundi. *Pan Africa News*, **20**, 16–9.
- Harrison, M.E., Cheyne, S.M., Husson, S.J., et al. (2012). *Preliminary Assessment of the Biodiversity and Conservation Value of the Bawan Forest, Central Kalimantan, Indonesia. Project Report*. Palangka Raya, Indonesia: Orangutan Tropical Peatland Project (OuTROP). Available at: http://www.borneonaturefoundation.org/en/resources/publications/forest-ecology-publications/attachment/outrop_2012-biodiversity_assessment_of_bawan_forest_2/.
- Harrison, M.E., Hendri, Dragiewicz, M.L., et al. (2010). *Biodiversity of the Mungku Baru Ulin Forest, Central Kalimantan, Indonesia*. Palangka Raya, Indonesia: Orangutan Tropical Peatland Project (OuTROP). Report produced by OuTROP for International Animal Rescue (IAR), Palangka Raya, Indonesia. Available at: http://www.borneonaturefoundation.org/wp-content/uploads/2016/01/harrison_10_mungku_baru_biodiversity-exc_app_iii.pdf.
- Haurez, B., Petre, C.-A., Vermeulen, C., Tagg, N. and Doucet, J.-L. (2014). Western lowland gorilla density and nesting behavior in a Gabonese forest logged for 25 years: implications for gorilla conservation. *Biodiversity and Conservation*, **23**(11), 2669–87. DOI: 10.1007/s10531-014-0743-1.
- Herbinger, I. (2007). *Chimpanzee survey in Azagny National Park*. Abidjan, Ivory Coast: Wild Chimpanzee Foundation (WCF). Unpublished report.
- Herbinger, I. and Tounkara, E.O. (2002). *A rapid survey of primates in the Simandou Range, Pic de Fon, Guinea*. Abidjan, Ivory Coast: Wild Chimpanzee Foundation (WCF). Unpublished report.
- Hickey, J.R., Uzabaho, E., Akantorana, M., et al. (2019). *Bwindi-Sarambwe 2018 Surveys: Monitoring Mountain Gorillas, Other Select Mammals, and Human Activities*. Kampala, Uganda: GVTC, IGCP & Partners. Available at: http://igcp.org/wp-content/uploads/Bwindi-Sarambwe-2018-Final-Report-2019_12_15.pdf.
- Hoàn, T.Đ., Dũng, L.V. and Trưởng, N.V. (2016). *Báo cáo Tổng điều tra liên khu Vườn Cao vút (Nomascus nasutus) tại Khu Bảo tồn loài và sinh cảnh Vườn Cao vút huyện Trùng Khánh, tỉnh Cao Bằng, Việt Nam và Khu bảo tồn Bằng Lương, Trịnh Tây, Quảng Tây, Trung Quốc* [in Vietnamese]. Hanoi, Viet Nam: Fauna & Flora International (FFI).
- Höing, A., Quinten, M.C., Indrawati, Y.M., Cheyne, S.M. and Waltert, M. (2013). Line transect and triangulation surveys provide reliable estimates of the density of Kloss' gibbons (*Hylobates klossii*) on Siberut Island, Indonesia. *International Journal of Primatology*, **34**(1), 148–56. DOI: 10.1007/s10764-012-9655-7.
- Ikati, B., Intamba, O., Wilondja, B., et al. (2019). *Inventaire des grands mammifères et impact humain réalisé dans le Corridor du Parc National de la Salonga, 2017–2018*. Kinshasa, DRC: Wildlife Conservation Society (WCS). Unpublished report.
- Ikati, B., Liengola, I., Mbenzo, V., et al. (2017). *Rapport des inventaires biologiques réalisés dans le bloc Lomela du parc national de la Salonga*. Kinshasa, DRC: Wildlife Conservation Society (WCS) and Institut Congolais pour la Conservation de la Nature (ICCN). Unpublished report.
- Ikemeh, R.A. (2013). Population survey of Nigeria-Cameroon chimpanzees (*Pan troglodytes ellioti*) in southwestern Nigerian priority sites: Idanre forest cluster and Ise Forest Reserve. *African Primates*, **8**, 39–50.
- Imong, I., Mengnjo, C. and Okeke, F. (2009). *Gorilla census of Boshi Extension and Okwa Hills, Cross River National Park, Nigeria, December, 2009*. Nigeria: Cross River National Park and Wildlife Conservation Society (WCS). Unpublished report to Cross River National Park and the Wildlife Conservation Society. Available at: <https://nigeria.wcs.org/About-Us/Publications.aspx>.
- Imong, I. and Okeke, F. (2009). *Gorilla census of the Mbe Mountains Community Wildlife Sanctuary, Cross River State, Nigeria, September, 2009*. Nigeria: Wildlife Conservation Society (WCS), Conservation Association of Mbe Mountains and Cross River State Forestry Commission. Unpublished report to WCS, Conservation Association of Mbe Mountains and Cross River State Forestry Commission. Available at: <https://nigeria.wcs.org/About-Us/Publications.aspx>.

- Imong, I., Wood, K.L. and Okeke, F. (2009). *Great ape and drill census of Afi Mountain Wildlife Sanctuary, Cross River State, Nigeria, March 2009*. Wildlife Conservation Society (WCS) and Pandrillus Foundation. Unpublished report to WCS, Pandrillus and Cross River State Forestry Commission. Available at: <https://www.tengwood.org/en/about-us/publications/70-great-ape-and-drill-census-of-afi-mountain-wildlife-sanctuary-cross-river-state-nigeria-march-2009.html>.
- Inkamba Nkulu, C., Samba, O.J., Massala, D., et al. (2018). *Sondage écologique des grands mammifères et impacts des activités humaines dans le Futur Parc National Ogooué Leketi*. Brazzaville, Congo: Wildlife Conservation Society (WCS).
- Inogwabini, B.-I., Abokome, M., Kamenge, T., Mbende, L. and Mboka, L. (2012). Preliminary bonobo and chimpanzee nesting by habitat type in the northern Lac Tumba Landscape, Democratic Republic of Congo. *African Journal of Ecology*, **50**(3), 285–98. DOI: 10.1111/j.1365-2028.2012.01323.x.
- Inogwabini, B.-I., Matungila, B., Mbende, L., Abokome, M. and wa Tshimanga, T. (2007). Great apes in the Lake Tumba landscape, Democratic Republic of Congo: newly described populations. *Oryx*, **41**(4), 532–8. DOI: 10.1017/S0030605307414120.
- Iskandar, E. (2007). *Habitat dan Populasi Owa Jawa (Hylobates moloch Audebert, 1797) di Taman Nasional Gunung Halimun-Salak Jawa Barat*. Thesis. Bogor, Indonesia: Institut Pertanian Bogor.
- IUCN and ICCN (2012). *Bonobo (Pan paniscus): Conservation Strategy 2012–2022*. Gland, Switzerland: International Union for Conservation of Nature Species Survival Commission (IUCN SSC) Primate Specialist Group and Institut Congolais pour la Conservation de la Nature (ICCN). Available at: <https://portals.iucn.org/library/efiles/documents/2012-083.pdf>.
- Iyenguet, F.C., Madzoke, B., Twagirashyaka, F., et al. (2012). *Inventaire des grands mammifères et activités humaines dans la Batanga, périphérie est de la réserve communautaire du Lac Télé, République du Congo*. Brazzaville, Congo: Wildlife Conservation Society (WCS). Unpublished report.
- Iyenguet, F.C., Malanda, G.F., Madzoke, B. and Twagirashyaka, F. (2008). *Recensement et distribution des grands mammifères et activités humaines dans la zone Impfondo*. Brazzaville, Congo: Wildlife Conservation Society (WCS). Unpublished report.
- Kamgang, S.A., Carme, T.C., Bobo, K.S., et al. (2020). Assessment of *in situ* nest decay rate for chimpanzees (*Pan troglodytes ellioti* Matschie, 1914) in Mbam-Djerem National Park, Cameroon: implications for long-term monitoring. *Primates*, **60**, 189–200. DOI: 10.1007/s10329-019-00768-3.
- Kirkby, A., Plumptre, A., Spira, C., et al. (2019). *Estimates of ape abundance in the Kahuzi-Biega National Park and Oku Community Reserve*. Kinshasa, DRC: Wildlife Conservation Society (WCS) and Institut Congolais pour la Conservation de la Nature (ICCN). Unpublished report to Arcus Foundation, Gesellschaft für Agrarprojekte (GFA), United States Agency for International Development (USAID) and United States Fish and Wildlife Service.
- Kuchambi, E. and Ikfuingei, R. (2014). *The Takamanda National Park: large mammal survey, May–July, 2013*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Latour, S. (2005). *Inventaire de faune autour des lacs du delta de l'Ogooué*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Latour, S. (2006). *Recensement des éléphants et de grands singes dans la région du Parc National de Pongara (Gabon)*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Le-Duc Yeno, S. and N'Goran, K.P. (2016). *Rapport de l'inventaire des grands et moyens mammifères dans la forêt de Djoua-Zadié*. Libreville, Gabon: World Wide Fund for Nature (WWF). Unpublished report.
- Lee, D.C., Powell, V.J. and Lindsell, J.A. (2015). The conservation value of degraded forests for agile gibbons *Hylobates agilis*. *American Journal of Primatology*, **77**(1), 76–85. DOI: 10.1002/ajp.22312.
- Levo, P.K., Tsakala, P., Lushimba, A., Akpona, H.A. and Maputla, N.W. (2015). *Lomako Yokokala Faunal Reserve biological survey*. Kinshasa, DRC: African Wildlife Foundation (AWF). Unpublished report.

- Li, G.-S., Yang, X.-M., Zhang, H.-Y. and Li, W. (2011). Population and distribution of western black crested gibbon (*Nomascus concolor*) at Ailao Mountain, Xinping, Yunnan. *Zoological Research*, **32**(6), 675–83. DOI: 10.3724/sp.J.1141.2011.06675.
- Li, Y.C. and Lu, Y. (2010). Population and distribution of western black crested gibbon in Mt Ailao. *Forest Conservation*, **1**, 11–3.
- Liengola, I., Vosper, A., Maisels, F., Bonyenge, A. and Nkumu, P. (2009). *Conserving bonobos in the last unexplored forest of the Democratic Republic of Congo: the Tshuapa-Lomami-Lualaba Landscape*. Kinshasa, DRC: Wildlife Conservation Society (WCS). Unpublished final report to the Beneficia Foundation. Available at: <https://freetheapes.files.wordpress.com/2014/12/conserving-bonobos.pdf>.
- Luo, Z. (2011). Survey on populations and distribution of western black crested gibbons (*Nomascus concolor jingdongensis*) from Wuliang Shan National Nature Reserve. *Sichuan Journal of Zoology*, **30**, 283–7.
- Lushimba, A., Kasalevo, P. and Fowler, A. (2012). *Estimation de la densité, de l'abondance et de la distribution relative des grands mammifères et l'impact des humains dans La Réserve d'Iyondji: établissement d'une ligne de base pour le biomonitoring*. Kinshasa, DRC: African Wildlife Foundation (AWF). Unpublished report.
- Madidi, J., Maisels, F., Kahindo, F., et al. (2019). *Inventaires des grands mammifères et de l'impact humaine, Réserve de Faune à Okapis, 2018. Rapport technique no: 01/BION/RFO/2019*. Kinshasa, DRC: Wildlife Conservation Society (WCS) DRC. Unpublished report.
- Magnuson, L., Adu-Nsiah, M. and Kpelle, D. (2003). Ghana. In *West African Chimpanzees: Status Survey and Conservation Action Plan*, ed. R. Kormos, C. Boesch, M. Bakarr and T. Butynski. Gland, Switzerland, and Cambridge, UK: World Conservation Union Species Survival Commission (IUCN SSC) Primate Specialist Group, pp. 111–6. Available at: <https://portals.iucn.org/library/sites/library/files/documents/2003-059.pdf>.
- Mahop, J.P. (2007). *Densité, abondance et distribution spatio-temporelle des grands et moyens mammifères diurnes dans la ZICGCS 9*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF) and Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH (German Technical Cooperation). Unpublished report.
- Maisels, F. (2009). *Densities of great apes and elephants, Loango National Park, Gabon*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Maisels, F., Abitsi, G. and Bezangoye, A. (2008). *Great ape and human impact monitoring in the Lopé-Waka Exceptional Priority Area, Gabon. Part 2: the Lopé-Waka corridor*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Maisels, F. and Ella Akou, M. (2013). *Mwagna National Park: report on WWF survey 2012*. Libreville, Gabon: Agence Nationale des Parcs Nationaux (ANPN), Wildlife Conservation Society (WCS) and World Wide Fund for Nature (WWF). Unpublished report.
- Maisels, F., Madidi, J., Kahindo, F., et al. (2019). *Wildlife and human impact survey of the Mai-Tatou forest landscape, Democratic Republic of Congo*. Kinshasa, DRC: Wildlife Conservation Society (WCS) and Institut Congolais pour la Conservation de la Nature (ICCN). Unpublished report.
- Maisels, F., Nkumu, P., Bonyenge, A. and Naky, P. (2010). *Salonga National Park, Democratic Republic of Congo: terrestrial wildlife and human impact monitoring programme. Survey report: eastern sector of park*. Kinshasa, DRC: Wildlife Conservation Society (WCS). Unpublished report.
- Maisels, F., Strindberg, S., Ambahe, R., et al. (2013). *Deng Deng National Park and UFA 10-065, Republic of Cameroon. Wildlife and human impact survey 2012*. Yaoundé, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Maisels, F., Strindberg, S., Breuer, T., et al. (2016). *Gorilla gorilla ssp. gorilla. The IUCN Red List of Threatened Species 2016: e.T9406A102328866*. Gland, Switzerland: International Union for Conservation of Nature (IUCN). Available at: <http://www.iucnredlist.org/details/9406/0>.
- Maisels, F., Strindberg, S., Breuer, T., et al. (2018). *Gorilla gorilla ssp. gorilla (amended version of 2016 assessment). The IUCN Red List of Threatened Species 2018: e.T9406A136251508*. Gland,

- Switzerland: International Union for Conservation of Nature (IUCN). Available at: <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T9406A136251508.en>.
- Maisels, F., Strindberg, S., Rayden, T., et al. (2015). *Wildlife and human impact survey of the Ngombé Ntoukou-Pikounda forest landscape, Republic of Congo, Feb–Oct, 2014*. Brazzaville, Congo: Wildlife Conservation Society (WCS). Unpublished report. Available at: https://interholco.com/images/pdfs/Maisels-et-al-2015-Wildlife-and-human-impact-survey-of-Ngombé-Ntokou-Pikounda-EN-v2_FINAL.pdf.
- Makaya, Q.P. (2010). *Monitoring écologique des grands mammifères terrestres et l'impact anthropique dans le Parc National de Mayumba, Gabon: rapport final*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Malanda, G., Iyenguet, F. and Madzoke, B. (2010). *Inventaire et distribution des grands mammifères et activités humaines dans la zone Tanga*. Brazzaville, Congo: Wildlife Conservation Society (WCS). Unpublished report.
- Marshall, A.J., Beaudrot, L. and Wittmer, H.U. (2014). Responses of primates and other frugivorous vertebrates to plant resource variability over space and time at Gunung Palung National Park. *International Journal of Primatology*, **35**(6), 1178–201. DOI: 10.1007/s10764-014-9774-4.
- McCarthy, M.S., Lester, J.D., Howe, E.J., et al. (2015). Genetic censusing identifies an unexpectedly sizeable population of an endangered large mammal in a fragmented forest landscape. *BMC Ecology*, **15**(1), 21. DOI: 10.1186/s12898-015-0052-x.
- McLennan, M.R. (2013). Diet and feeding ecology of chimpanzees (*Pan troglodytes*) in Bulindi, Uganda: foraging strategies at the forest–farm interface. *International Journal of Primatology*, **34**(3), 585–614. DOI: 10.1007/s10764-013-9683-y.
- Morgan, B., Adeleke, A., Bassey, T., et al. (2011). *Regional Action Plan for the Conservation of the Nigeria–Cameroon Chimpanzee (*Pan troglodytes ellioti*)*. New York, NY: International Union for Conservation of Nature Species Survival Commission (IUCN SSC) Primate Specialist Group and Zoological Society of San Diego, CA. Available at: <https://portals.iucn.org/library/sites/library/files/documents/2011-123-En.pdf>.
- Motsaba, P. and Aba'a, R. (2011). *Inventaire préliminaire de grands mammifères et des activités anthropiques à la Réserve Présidentielle de Wonga-Wongué*. Libreville, Gabon: Wildlife Conservation Society (WCS)/Projet GEF PARCS Composante 2. Unpublished report.
- Motsaba, P. and Maisels, F. (2010). *Recensement de grands mammifères et des impacts humains dans les concessions forestières situées dans la périphérie sud et sud-ouest du Parc National d'Ivindo*. Libreville, Gabon: Wildlife Conservation Society (WCS). Unpublished report.
- Motsaba, P., Tezi, J.P., Aba'a, R. and Maisels, F. (2009). *Recensement des grands mammifères et des impacts humains au Parc National d'Ivindo. Cycle de monitoring II*. Libreville, Gabon: Parcs Gabon and Wildlife Conservation Society (WCS). Unpublished report.
- Murai, M., Ruffler, H., Berlemont, A., et al. (2013). Priority areas for large mammal conservation in Equatorial Guinea. *PLoS ONE*, **8**(9), e75024. DOI: 10.1371/journal.pone.0075024.
- Nakashima, Y., Iwata, Y., Ando, C., et al. (2013). Assessment of landscape-scale distribution of sympatric great apes in African rainforests: concurrent use of nest and camera-trap surveys. *American Journal of Primatology*, **75**(12), 1220–30. DOI: 10.1002/ajp.22185.
- Nater, A., Mattle-Greminger, M.P., Nurcahyo, A., et al. (2017). Morphometric, behavioral, and genomic evidence for a new orangutan species. *Current Biology*, **27**(22), 3487–98.e10. DOI: 10.1016/j.cub.2017.09.047.
- N'Goran, K.P. (2007). *Quelques résultats de la première phase du biomonitoring au Parc National de la Marahoué (Mai. 2006-Décembre. 2006)*. Abidjan, Ivory Coast: Wild Chimpanzee Foundation (WCF) and l'Office Ivoirien des Parcs et Réserves. Unpublished report.
- N'Goran, K.P., Ndomba, D.L. and Beukou, G.B. (2016). *Rapport de l'inventaire des grands et moyens mammifères dans le segment RCA du paysage trinational de la Sangha*. Bayanga, Central African Republic: Bureau Régional du WWF pour l'Afrique. Unpublished report.
- Ni, Q. and Ma, S. (2006). Population and distribution of the black crested gibbons in southern and southeastern Yunnan. *Zoological Research*, **27**, 34–40.

- Nijman, V. (2004). Conservation of the Javan gibbon *Hylobates moloch*: population estimates, local extinctions and conservation priorities. *Raffles Bulletin of Zoology*, **51**(1), 271–80.
- Nijman, V. and Menken, S.B. (2005). Assessment of census techniques for estimating density and biomass of gibbons (Primates: Hylobatidae). *Raffles Bulletin of Zoology*, **53**(1), 169–79.
- Nixon, S., Plumptre, A., Pintea, L., et al. (2012). The forgotten gorilla: historical perspectives and future challenges for conserving Grauer's gorilla (abstract). Presented at: XXIV Congress of the International Primatological Society (IPS), Cancún, Mexico.
- Normand, E., Singo, B. and Boesch, C. (2010). *Rapport de suivi écologique dans les forêts classées de Goin-Débé et de Cavally (2007–2010)*. Abidjan, Ivory Coast: Wild Chimpanzee Foundation (WCF). Unpublished report. Available at: http://www.wildchimps.org/fileadmin/content_files/pdfs/reports/2010_Rapport_biomonitoring_Cavally_et_Goin-Debe.pdf.
- Nzooch, Z.L., N'Goran, K.P., Ekodeck, H., et al. (2016a). *Les populations de grands et moyens mammifères dans le segment Lobéké du Paysage Tri-National de la Sangha*. Yaoundé, Cameroon: World Wide Fund for Nature (WWF) and Ministry of Forests and Wildlife (MINFOF). Unpublished report.
- Nzooch, Z.L., N'Goran, K.P., Etoga, G., et al. (2016b). *Les populations de grands et moyens mammifères dans le segment Cameroun du paysage TRIDOM (Forêt de Ngoyla Mintom, PN Boumba Bek, PN Nki et leurs zones périphériques)*. Ministry of Forests and Wildlife (MINFOF) and World Wide Fund for Nature (WWF). Unpublished report.
- Nzooch, Z.L., N'Goran, K.P., Fondja, C. and Nkono, J. (2015). *Evaluation de la dynamique des populations de grands et moyens mammifères dans le domaine forestier permanent de l'unité technique opérationnelle Campo Ma'an*. Republic of Cameroon: World Wide Fund for Nature (WWF) and Ministry of Forests and Wildlife (MINFOF), Service de Conservation du Parc National de Campo Ma'an. Unpublished report. Available at: http://d2ouvy59p0dg6k.cloudfront.net/downloads/rapport_final_inventaire_faune_campo.pdf.
- O'Brien, T.G., Kinnaird, M.F., Nurcahyo, A., Iqbal, M. and Rusmanto, M. (2004). Abundance and distribution of sympatric gibbons in a threatened Sumatran rain forest. *International Journal of Primatology*, **25**(2), 267–84. DOI: 10.1023/B:IJOP.0000019152.83883.1c.
- O'Brien, T.G., Kinnaird, M.F., Nurcahyo, A., Prasetyaningrum, M. and Iqbal, M. (2003). Fire, demography and the persistence of siamang (*Sympalangus syndactylus*: Hylobatidae) in a Sumatran rainforest. *Animal Conservation*, **6**(2), 115–21. DOI: 10.1017/s1367943003003159.
- Oates, J. (2006). *Primate conservation in the forests of western Ghana: recommendations for a conservation strategy*. Accra, Ghana: Wildlife Division, Forestry Commission. Unpublished report.
- Ogunjemite, B.G. (2011). Chimpanzee (*Pan troglodytes*) populations in southwestern Nigeria. *Journal of Sustainable Development in Africa*, **13**(2), 60–73. Available at: http://www.jsd-africa.com/Jsda/V13No2_Spring2011_B/article13_02.htm.
- Ogunjemite, B.G., Afolayan, T.A., Agbelusi, E.A. and Onadeko, S.A. (2006). Status survey of chimpanzee in the forest zone of southwestern Nigeria. *Acta Zoologica Sinica*, **52**, 1009–14.
- Olaniyi, O.E., Ogunjemite, B.G. and Dansu, E.J. (2014). Relationship between anthropogenic activities and occurrence of the chimpanzees (*Pan troglodytes*) in Oluwa Forest Reserve, Nigeria. *Ethiopian Journal of Environmental Studies and Management*, **7**, 402–10. DOI: 10.4314/ejesm.v7i4.7.
- Pachuau, S.V., Qureshi, Q., Habib, B. and Nijman, V. (2013). Habitat use and documentation of a historic decline of western hoolock gibbon (*Hoolock hoolock*) in Dampa Tiger Reserve, Mizoram, India. *Primate Conservation*, **2013**(27), 85–90, 6.
- Palombit, R.A. (1995). Longitudinal patterns of reproduction in wild female siamang (*Hylobates syndactylus*) and white-handed gibbons (*Hylobates lar*). *International Journal of Primatology*, **16**(5), 739–60. DOI: 10.1007/bf02735718.
- Phonjampa, R. and Brockelman, W. (2008). Survey of pileated gibbon *Hylobates pileatus* in Thailand: populations threatened by hunting and habitat degradation. *Oryx*, **42**(4), 600–6. DOI: 10.1017/S0030605308000306.

- Phoonjampa, R., Koenig, A., Brockelman, W.Y., et al. (2011). Pileated gibbon density in relation to habitat characteristics and post-logging forest recovery. *Biotropica*, **43**(5), 619–27. DOI: 10.1111/j.1744-7429.2010.00743.x.
- Piel, A.K., Cohen, N., Kamenya, S., et al. (2015). Population status of chimpanzees in the Masito-Ugalla ecosystem, Tanzania. *American Journal of Primatology*, **77**(10), 1027–35. DOI: 10.1002/ajp.22438.
- Piel, A.K., Stewart, F.A., Pintea, L., et al. (2013). The Malagarasi River does not form an absolute barrier to chimpanzee movement in western Tanzania. *PLoS ONE*, **8**(3), e58965. DOI: 10.1371/journal.pone.0058965.
- Pintea, L., Latour, S., Hanni, D.C., et al. (2012). Biological surveys and geospatial analysis to support great ape conservation in Dimonika Biosphere and Tchimpounga Natural Reserves, Republic of Congo (abstract). Presented at: XXIV Congress of the International Primatological Society (IPS), Cancún, Mexico.
- Plumptre, A.J., Cox, D. and Mugume, S. (2003). *The Status of Chimpanzees in Uganda*. Albertine Rift Technical Report Series No. 2. Kampala, Uganda: Wildlife Conservation Society (WCS) and Jane Goodall Institute (JGI). Available at: https://programs.wcs.org/portals/49/media/file/AR_Tech_Rpt_2_Uganda_Chimps.PDF.
- Plumptre, A.J., Kujirakwinja, D. and Matunguru, J. (2008). *Survey of Chimpanzees in the Virunga Park and an Assessment of a Potential Corridor to Mt Hoyo*. Kampala, Uganda: Wildlife Conservation Society (WCS) and Institut Congolais pour la Conservation de la Nature (ICCN). Final report for United States Fish and Wildlife Service (USFWS) Project 98210-7-G231-GA-0400. February 2008. Available at: <https://albertinerift.wcs.org/About-Us/Publications/Chronological-List.aspx>.
- Plumptre, A.J., Kujirakwinja, D., Matunguru, J., et al. (2008). *Biodiversity Surveys in the Misotshi-Kabogo and Marungu Regions of Eastern Democratic Republic of Congo with a Focus on Chimpanzees*. Kampala, Uganda: Wildlife Conservation Society (WCS). Report to United States Fish and Wildlife Service (USFWS) for Project 98210-6-G035. March 2007. Available at: <http://www.easternfrommontane.org/wp-content/uploads/2018/04/2007-13.pdf>.
- Plumptre, A.J., Nixon, S., Critchlow, R., et al. (2015). *Status of Grauer's Gorilla and Chimpanzees in Eastern Democratic Republic of Congo: Historical and Current Distribution and Abundance*. New York, NY: Wildlife Conservation Society (WCS), Fauna & Flora International (FFI) and Institut Congolais pour la Conservation de la Nature (ICCN). Available at: http://fscdn.wcs.org/2016/04/04/inbumeq9_Status_of_Grauers_gorilla_and_eastern_chimpanzee_Report_Final.pdf.
- Plumptre, A.J., Nixon, S., Kujirakwinja, D.K., et al. (2016). Catastrophic decline of world's largest primate: 80% loss of Grauer's gorilla (*Gorilla beringei graueri*) population justifies critically endangered status. *PLoS ONE*, **11**(10), e0162697. DOI: 10.1371/journal.pone.0162697.
- Plumptre, A.J., Rose, R., Nangendo, G., et al. (2010). *Eastern Chimpanzee (Pan troglodytes schweinfurthii): Status Survey and Conservation Action Plan 2010–2020*. Gland, Switzerland: International Union for Conservation of Nature (IUCN). Available at: <https://portals.iucn.org/library/sites/library/files/documents/2010-023.pdf>.
- Pruetz, J.D. and Bertolani, P. (2007). Savanna chimpanzees, *Pan troglodytes verus*, hunt with tools. *Current Biology*, **17**(5), 412–7. DOI: 10.1016/j.cub.2006.12.042.
- Pruetz, J.D., Marchant, L.F., Arno, J. and McGrew, W.C. (2002). Survey of savanna chimpanzees (*Pan troglodytes verus*) in southeastern Sénegal. *American Journal of Primatology*, **58**(1), 35–43. DOI: 10.1002/ajp.10035.
- Rawson, B.M., Insua-Cao, P., Manh Ha, N., et al. (2011). *The Conservation Status of Gibbons in Vietnam*. Hanoi, Viet Nam: Fauna & Flora International (FFI) and Conservation International. Available at: <http://www.gibbons.de/main/books/2011gibbons-vietnam.pdf>.
- Ray, P.C., Kumar, A., Devi, A., et al. (2015). Habitat characteristics and their effects on the density of groups of western hoolock gibbon (*Hoolock hoolock*) in Namdapha National Park, Arunachal Pradesh, India. *International Journal of Primatology*, **36**(3), 445–59. DOI: 10.1007/s10764-015-9834-4.

- Reinartz, G.E., Bila-Isia, I., Ngamankosi, M. and Wema, L.W. (2006). Effects of forest type and human presence on bonobo (*Pan paniscus*) density in the Salonga National Park. *International Journal of Primatology*, **27**, 603–34. DOI: 10.1007/s10764-006-9020-9.
- Reinartz, G.E. and Guislain, P. (2010). *Assessment of bonobo distribution and development of bio-monitoring capacity in the MLW CARPE landscape, DR Congo*. Milwaukee, WI: Zoological Society of Milwaukee. Unpublished report.
- Reinartz, G.E., Guislain, P., Ngomo, N., et al. (2017). *Abundance and distribution of bonobos and forest elephants in the Watsi Kengo and Mondjoku Sectors of the Salonga National Park, DRC*. Zoological Society of Milwaukee (ZSM) internal report to United States Agency for International Development (USAID).
- Samson, D.R. and Hunt, K.D. (2012). A thermodynamic comparison of arboreal and terrestrial sleeping sites for dry-habitat chimpanzees (*Pan troglodytes schweinfurthii*) at the Toro-Semliki Wildlife Reserve, Uganda. *American Journal of Primatology*, **74**(9), 811–8. DOI: 10.1002/ajp.22031.
- Sanderson, J., Barrie, A., Coleman, J.E., et al. (2005). A rapid survey of mammals from the Haute Dodo and Cavally Forests, Côte d'Ivoire. In *A Rapid Biological Assessment of Two Classified Forests in South-Western Côte d'Ivoire*. RAP Bulletin of Biological Assessment 34, ed. L. E. Alonso, F. Lauginie and G. Rondeau. Washington DC: Conservation International, pp. 118–24.
- Sanz, C., Morgan, D., Strindberg, S. and Onononga, J.R. (2007). Distinguishing between the nests of sympatric chimpanzees and gorillas. *Journal of Applied Ecology*, **44**(2), 263–72. DOI: 10.1111/j.1365-2664.2007.01278.x.
- Serckx, A. (2014). *Eco-ethology of a population of bonobos (*Pan paniscus*) living in the western forest-savannah mosaics of the Democratic Republic of Congo*. PhD thesis. Liège, Belgium: Département des Sciences et Gestion de l'Environnement, Université de Liège.
- Setiawan, A., Nugroho, T.S., Wibisono, Y., Ikawati, V. and Sugardjito, J. (2012). Population density and distribution of Javan gibbon (*Hylobates moloch*) in Central Java, Indonesia. *Biodiversitas*, **13**, 23–32.
- Sikubwabo, C.K. (2015). Can the gorillas of Mt Tshiaberimu survive? *Gorilla Journal*, **50**, 3–4. Available at: https://www.bergorilla.org/fileadmin/user_upload/pdf/journal/journal_en/gorilla-journal-50-english.pdf.
- Sommer, V. and Reichard, U. (1997). Group encounters in wild gibbons (*Hylobates lar*): agonism, affiliation, and the concept of infanticide. *Behaviour*, **134**(15–16), 1135. DOI: 10.1163/156853997X00106.
- Sousa, J., Vicente, L., Gippoliti, S., Casanova, C. and Sousa, C. (2014). Local knowledge and perceptions of chimpanzees in Cantanhez National Park, Guinea-Bissau. *American Journal of Primatology*, **76**(2), 122–34. DOI: 10.1002/ajp.22215.
- Strindberg, S., Maisels, F., Williamson, E.A., et al. (2018). Guns, germs, and trees determine density and distribution of gorillas and chimpanzees in Western Equatorial Africa. *Science Advances*, **4**(4), eaar2964. DOI: 10.1126/sciadv.aar2964.
- Sultan, K., Mansjoer, S. and Bismark, M. (2009). Populasi dan distribusi ungko (*Hylobates agilis*) di Taman Nasional Batang Gadis, Sumatera Utara. *Jurnal Primatologi Indonesia*, **6**(1), 25–31.
- Sun, G.Z., Ni, Q.Y., Huang, B., et al. (2012). Population, distribution and conservation status of western black crested gibbon. *Forest Conservation*, **1**, 38–43.
- Tenaza, R.R. and Hamilton, W.J., III (1971). Preliminary observations of the Mentawai Islands gibbon, *Hylobates klossii*. *Folia Primatologica*, **15**, 201–11.
- Thinh, V.N., Rawson, B., Hallam, C., et al. (2010). Phylogeny and distribution of crested gibbons (genus *Nomascus*) based on mitochondrial cytochrome b gene sequence data. *American Journal of Primatology*, **72**(12), 1047–54. DOI: 10.1002/ajp.20861.
- Tiédoué, M.R., Kone, S.S., Diarrassouba, A. and Tondossama, A. (2018). *Etat de conservation du Parc national de Taï: Résultats du suivi écologique, Phase 12*. Soubré, Côte d'Ivoire: Office Ivoirien des Parcs et Réserves/ Direction de Zone Sud-ouest.
- Tilson, R.L. (1979). Behaviour of hoolock gibbon (*Hylobates hoolock*) during different seasons in Assam, India. *Journal of the Bombay Natural History Society*, **76**, 1–16.

- Timmins, R.J. and Duckworth, J.W. (2013). *A survey of gibbons and other wildlife in the Bokeo section of Nam Kan National Protected Area, Lao PDR*. Cambridge, UK. Unpublished report.
- Traeholt, C., Bunthoeun, R., Rawson, B., et al. (2005). *Status review of pileated gibbon, Hylobates pileatus, and yellow-cheeked crested gibbon, Nomascus gabriellae, in Cambodia*. Phnom Penh, Cambodia: Fauna & Flora International (FFI) Cambodia Programme Office. Unpublished report.
- Tweh, C., Kouakou, C., Chira, R., et al. (2018). Nest counts reveal a stable chimpanzee population in Sapo National Park, Liberia. *Primate Conservation*, **32**(1), 1–12.
- Tweh, C.G., Lormie, M.M., Kouakou, C.Y., et al. (2015). Conservation status of chimpanzees *Pan troglodytes verus* and other large mammals in Liberia: a nationwide survey. *Oryx*, **49**(4), 710–8. DOI: 10.1017/S0030605313001191.
- Utami-Atmoko, S., Traylor-Holzer, K., Rifqi, M.A., et al., ed. (2019). *Orangutan Population and Habitat Viability Assessment: Final Report*. Jakarta, Indonesia, and Apple Valley, MN: Ministry of Environment and Forestry of Indonesia, and International Union for Conservation of Nature Species Survival Commission (IUCN SSC) Conservation Planning Specialist Group. Available at: http://www.cbsg.org/sites/cbsg.org/files/documents/Orangutan_PHVA_2019.pdf.
- Vanleeuwe, H. (2014). *Ecological surveys 2005, 2008, 2010 and 2013 at Conkouati-Douli National Park, Republic of Congo. Projet d'Appui à la Gestion (PAG) du Parc National Conkouati-Douli (PNCD)*. Brazzaville, Congo: Wildlife Conservation Society (WCS). Unpublished report.
- Warren, Y. and Bila, S.E. (2008). *Mbulu survey*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Warren, Y. and Ekinde, A. (2008). *Large mammal recce survey of the Mone Forest Reserve*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- Warren, Y., Stott, A., Ekinde, A.E., Khumbah, P. and Nicholas, A. (2008). *Cross River gorilla inter-population nuclei distribution survey*. Limbe, Cameroon: Wildlife Conservation Society (WCS). Unpublished report.
- WCF (2009). *Rapport préliminaire sur le recensement des chimpanzés dans le Parc National de la Comoé, Côte d'Ivoire*. Abidjan, Ivory Coast: Wild Chimpanzee Foundation (WCF). Unpublished report.
- WCF (2012). *Etat de la faune et des menaces dans les aires protégées terrestres et principales zones de forte biodiversité de République de Guinée*. Conakry, Guinea: Wild Chimpanzee Foundation (WCF). Unpublished report. Available at: <https://rris.biopama.org/sites/default/files/2019-03/2012WCFBiodivGn.pdf>.
- WCF (2014a). *Biomonitoring in the Guinea Alumina Corporation concession, Prefecture of Boke*. Conakry, Guinea: Wild Chimpanzee Foundation (WCF). Unpublished report.
- WCF (2014b). *Study of a key area for the preservation of chimpanzee in West Africa: preliminary inventory along the Bafing River, Republic of Guinea*. Conakry, Guinea: Wild Chimpanzee Foundation (WCF). Unpublished report.
- WCF (2015). *Complementary primates study – CBG Extension Project Part 2 – Rapid Assessment*. Leipzig, Germany: Wild Chimpanzee Foundation (WCF). WCF report. Available at: http://www.wildchimps.org/fileadmin/content_files/pdfs/reports/2015_WCF_Complementary_primates_study_CBG_extension_Part_2_12-11-2015.pdf.
- WCF (2018). Congrats to Liberia! Two new national parks were launched the 26 April 2018 in Monrovia! News, April, 2018. Available at: <https://www.wildchimps.org/about-us/news.html>.
- WCS (2015). *Survey of the Lokofa Block of the Salonga National Park preliminary report*. Unpublished report.
- Wich, S.A., Fredriksson, G., Usher, G., Kühl, H.S. and Nowak, M.G. (2019). The Tapanuli orangutan: status, threats, and steps for improved conservation. *Conservation Science and Practice*, **1**(6), e33. DOI: 10.1111/csp2.33.
- Wich, S.A., Singleton, I., Nowak, M.G., et al. (2016). Land-cover changes predict steep declines for the Sumatran orangutan (*Pongo abelii*). *Science Advances*, **2**(3), e1500789. DOI: 10.1126/sciadv.1500789.
- Williamson, E.A., Bayogo, R., Guimiyessi, G., et al. (2004). *Survey of elephants, Bangassou, Central African Republic: conservation status and human impacts May–June, 2004*. New York, NY: Wildlife

- Conservation Society (WCS)/CITES –Monitoring the Illegal Killing of Elephants (MIKE). Unpublished report.
- WWF (2003). *Large mammals survey in the Mt Nlonako, Makombe and Ebo proposed protected areas.* Yaoundé, Cameroon: World Wide Fund for Nature (WWF). Unpublished report.
- Yanuar, A. (2009). The population distribution and abundance of siamangs (*Sympalangus syndactylus*) and agile gibbons (*Hylobates agilis*) in West Central Sumatra, Indonesia. In *The Gibbons: New Perspectives on Small Ape Socioecology and Population Biology*, ed. D. Whittaker and S. Lappan. New York, NY: Springer, pp. 453–65. DOI: 10.1007/978-0-387-88604-6_21.